

Color laser multifunction product



# Lexmark XS955dhe

Digs deep. Does more. Dazzles with color.



XS955dhe



Color



Touch screen



Copy



Scan



Fax



Solution



A3 (11x17)



Up to 55 ppm



Duplex



Network

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

### Make a lasting impression with award-winning color

The documents you print define an important image—yours. That's why Lexmark color MFPs help businesses be more productive and stand out with vibrant color. With the ability to print professional-quality color in-house, you can add instant impact and save costs by virtually eliminating the need to outsource print jobs. Lexmark also offers a host of color-access and control tools to manage cost.

### Eco-responsible

Printing responsibly means everyone wins—your business, your budget and the environment. Lexmark's award-winning products are designed for ease of use, high quality output and reliable performance, with innovative capabilities that help you minimize the number of cartridges you use over the life of the printer and conserve paper and energy. Our goal is to design, package and deliver innovative products and solutions in an environmentally responsible manner.

The Lexmark Cartridge Collection Program is active around the world providing a variety of methods for free returns of your empties to Lexmark or our collection partners. Our goal: Make it easy to do the right thing.

### Environmental protection is a shared responsibility

Through our work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

#### Our memberships include:

- ▶ AeA Europe
- ▶ American National Standards Institute (ANSI)
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ European Information & Communications Technology Industry Association (EICTA)
- ▶ Information Technology Industry Council (ITI)
- ▶ ITI Environmental Leadership Council



### Affordable color output

The Lexmark XS955dhe delivers high quality 11x17 color multifunction performance. Enjoy the benefits of vibrant, professional-quality output on a wide variety of media, allowing you to do more color printing in-house.

- ▶ PANTONE® calibration for consistent color tones
- ▶ Named Color Replacement for easy color matching
- ▶ Supports banner media
- ▶ Lexmark Color Care Technology to manage color usage and control costs

### Easy and intuitive

The Lexmark XS955dhe is designed for easy operation and maintenance.

- ▶ Extra large, easy to navigate 10-inch class color touch screen provides audible and tactile feedback to make completing tasks intuitive
- ▶ Print and scan preview features help you select documents or specific pages within a document
- ▶ Ability to change settings, such as duplex, at the device
- ▶ Robust connectivity makes it easy to integrate into almost any network environment
- ▶ Sleep button and hibernate mode to reduce energy costs
- ▶ Device management software available

### Business productivity

The Lexmark XS955dhe combines high-performance printing, copying, scanning and faxing with time-saving solution applications designed to boost your productivity.

- ▶ Print and copy speeds as fast as 55 ppm in both black and color
- ▶ Advanced copy functions include the ability to interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job
- ▶ Scan to multiple destinations, including Scan to Email, Scan to FTP, Scan to Fax, Scan to Network and more
- ▶ Preloaded applications to drive greater efficiency and Lexmark Embedded Solutions Framework to further extend the capabilities of the device





## Save time and money through solutions

Reduce unnecessary printing and simplify work processes through Lexmark solutions. The XS955dhe features the Lexmark Embedded Solutions Framework (eSF), our platform that enables you to add a wide range of software applications directly onto the device. Solutions are designed with your productivity in mind, helping you streamline—or even eliminate—paper intensive business processes.

## The right touch

The Lexmark e-Task color touch screen is a key access point to your device. The extra large customizable 10-inch class interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. The easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

The following are a few of the Lexmark solutions available through your authorized Lexmark Business Solutions Dealers:



### Showroom

Display a customizable, scrolling slideshow on the color touch screen to promote your business or products or to communicate important messages to your customers or employees.



### Card Copy

Save time and effort in copying identification cards, licenses and insurance cards by automatically scanning, enlarging and copying both sides of a two-sided card onto one side of a sheet of paper.



### Change Background

Change the touch screen background to your corporate logo, custom images, a unique message or select from preloaded screens.

The following are solutions that come preloaded on the XS955dhe:



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Scan to Network - Basic

Scan a hardcopy document and route the image to one of 100 predefined personal or public shared network folders.

### Professional-quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place, at the right time and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.\*

### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

### Lexmark has shown its strength and leadership with respect to security.

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hard-copy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

\*Optional software available. Licensing fees may apply.



Lexmark XS955dhe color MFP with optional booklet finisher and 2,000-sheet high capacity feeder



#### Intuitive color touch screen

The extra large 10-inch class color touch screen allows you to operate your MFP with ease through intuitive navigation and easy access to workflow solutions and shortcuts.



#### Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



#### Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with many printable image file formats.



#### Flexible input capacity

Choose the configuration that best fits your needs, up to a maximum of 5,140 sheets.



#### Exceptional media handling

Ultra-reliable paper feeding lets you load up to six different types of media; supports banner media and weights up to 110 lb. cover weight.



#### Advanced finishing options

Easily create professional output in-house with flexible finishing options, including multi-position stapling, hole punch, expanded output stacking and booklet capability.



- Standard
- Optional

XS955dhe

| Part #  | Product              |
|---------|----------------------|
| 22Z0022 | Lexmark XS955dhe MFP |

| Part #  | Supplies                                    |
|---------|---------------------------------------------|
| 22Z0008 | XS955dhe Black High Yield Toner Cartridge   |
| 22Z0009 | XS955dhe Cyan High Yield Toner Cartridge    |
| 22Z0010 | XS955dhe Magenta High Yield Toner Cartridge |
| 22Z0011 | XS955dhe Yellow High Yield Toner Cartridge  |

| Part #  | Options and accessories                                  |
|---------|----------------------------------------------------------|
| 22Z0015 | Lexmark C950, X950 2,000-sheet high capacity feeder (A4) |
| 22Z0016 | Lexmark C950, X950 standard finisher (3-hole)            |
| 22Z0017 | Lexmark C950, X950 booklet finisher (3-hole)             |



| Product specifications                        | Lexmark XS955dhe                                                                                                                                                                                                  |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Printing                                      |                                                                                                                                                                                                                   |
| Display                                       | Lexmark e-Task 10-inch (25 cm) class color touch screen                                                                                                                                                           |
| Print Speed: Up to                            | Black: 55 ppm / Color: 50 ppm                                                                                                                                                                                     |
| Time to First Page: As fast as                | Black: 5.0 seconds / Color: 7.2 seconds                                                                                                                                                                           |
| Print Resolution                              | Black: 1200 x 1200 dpi, 2400 Image Quality / Color: 1200 x 1200 dpi, 2400 Image Quality                                                                                                                           |
| Memory                                        | Standard: 2048 MB / Maximum: 2048 MB                                                                                                                                                                              |
| Hard Disk                                     | Included in configuration                                                                                                                                                                                         |
| Recommended Monthly Page Volume¹              | 5000 - 33000 pages                                                                                                                                                                                                |
| Maximum Monthly Duty Cycle: Up to²            | 250000 pages per month                                                                                                                                                                                            |
| Copying                                       |                                                                                                                                                                                                                   |
| Copy Speed: Up to                             | Black: 55 cpm / Color: 50 cpm                                                                                                                                                                                     |
| Time to First Copy: As fast as                | Black: 6.4 seconds / Color: 9.9 seconds                                                                                                                                                                           |
| Scanning                                      |                                                                                                                                                                                                                   |
| Scanner Type / ADF Scan                       | Flatbed scanner with ADF / RADF (Reversing Duplex)                                                                                                                                                                |
| A4/Ltr Duplex Scan Speed: Up to               | Black: 38 / 37 sides per minute / Color: 38 / 37 sides per minute                                                                                                                                                 |
| A4/Ltr Simplex Scan Speed: Up to              | Black: 68 / 70 sides per minute / Color: 52 / 52 sides per minute                                                                                                                                                 |
| ADF Paper Input Capacity: Up to               | 110 pages 20 lb or 75 gsm bond                                                                                                                                                                                    |
| Faxing                                        |                                                                                                                                                                                                                   |
| Modem Speed                                   | 33.6 Kbps                                                                                                                                                                                                         |
| Supplies                                      |                                                                                                                                                                                                                   |
| Photoconductor Estimated Yield: Up to³        | 115000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage                                                                                                                             |
| Cartridge(s) Shipping with Product⁴           | 11,000-page Color (CMY) Starter Toner Cartridges, 16,000-page Black Starter Toner Cartridge                                                                                                                       |
| Paper Handling                                |                                                                                                                                                                                                                   |
| Paper Input Capacity: Up to                   | Standard: 3140 pages 20 lb or 75 gsm bond / Maximum: 5140 pages 20 lb or 75 gsm bond                                                                                                                              |
| Paper Output Capacity: Up to                  | Standard: 500 pages 20 lb or 75 gsm bond / Maximum: 3750 pages 20 lb or 75 gsm bond                                                                                                                               |
| Media Types Supported                         | Card Stock, Envelopes, Glossy Paper, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.                                                                                                  |
| Media Sizes Supported                         | 10 Envelope, 7 3/4 Envelope, A3, A4, A5, C5 Envelope, DL Envelope, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Universal, Super Tabloid (12 x 18"), Oficio, A6                            |
| General Information                           |                                                                                                                                                                                                                   |
| Standard Ports                                | USB 2.0 Specification Hi-Speed Certified (Type B), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Ethernet 10/100/1000 BaseTX (RJ-45) |
| Optional Network Ports / Optional Local Ports | Internal MarkNet™ N8130 Fiber Fast Ethernet, Internal MarkNet™ N8250 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel                                                       |
| Noise Level: Operating                        | Print: 53 dBA / Copy: 55 dBA / Scan: 54 dBA                                                                                                                                                                       |
| Specified Operating Environment               | Altitude: 0 - 2500 Meters (8,200 Feet), Temperature: 10 to 32°C (50 to 90°F), Humidity: 15 to 85% Relative Humidity                                                                                               |
| Size (in. - H x W x D) / Weight (lb.)         | 44.38 x 25.20 x 26.97 in. / 351.8 lb.                                                                                                                                                                             |

<sup>1</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>2</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>3</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>4</sup>Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798. Yields may vary based on actual customer usage.

This is a Class A device according to the FCC Rules and international electromagnetic emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.