

LEXMARKTM

E320

The Lexmark E320 Redefines Desktop Printing at Home or in the Office with Superior Performance and Value

- Fast 16 ppm print speed for on-demand convenience and efficiency at home or in the office
- Consistent, high-quality output for reports and presentations
- Compact footprint ideal for small office and home office environments
- Built-in USB and parallel ports for effortless installation



Product Information

Part Number

- United States
– E320: 08A0150

Technology

- Monochrome laser

Speed

- Up to 16 pages per minute
- Less than 12 seconds time to first page

Print Quality

- 1200 image quality
- 600 x 600 dpi
- 300 x 300 dpi with PQET

Processor

- 67 MHz RISC

Memory (std/max)

- 4MB/68MB

Connectivity

- Standard
 - USB port
 - Bidirectional parallel port
- Optional
 - MarkNet™ X2000 series of external print servers

Compatibility

- PCL 5e emulation standard
- PostScript level 2 emulation (Mac only)

Font Selection

- PostScript emulation
 - 12 scalable fonts (Mac only)
- PCL emulation
 - 12 scalable fonts
 - 1 bitmapped font

Paper Handling

- Input
 - Standard: 150 sheets + 1 single sheet manual feed
 - Maximum: 400 sheets + 1 single sheet manual feed
 - Sources (std/max): 2/3
- Output
 - 100 + 1 single sheet straight-through path
 - Destinations (std/max): 2/2

Media

- Media sizes:
 - letter, legal, A4, A5, JIS B5 and executive
- Media types:
 - Plain paper, envelopes, card stock, paper labels and transparencies
- Media weights:
 - Plain paper: 16 to 43 lb. (60 to 163 g/m²)
 - Card stock: up to 90 lb. index (163 g/m²)

Paper Handling Options

- 250-sheet Drawer

Supplies*

The Lexmark E320 ships with:

- 1,500-page starter *Prebate*™ Print Cartridge
- Other supplies:
 - 3,000-page *Prebate* Print Cartridge
 - 3,000-page Print Cartridge
 - 6,000-page High Yield *Prebate* Print Cartridge
 - 6,000-page High Yield Print Cartridge

Operating Systems

- Microsoft Windows 2000, Me, 98, 95, NT 4.0 and XP; Linux and Mac OS
- For a complete list, see www.lexmark.com

Size/Weight

- 15.0" x 14.2" x 8.7" (W x D x H)
(380 mm x 362 mm x 221 mm)
- 19.8 lb. (9 kg)

Acoustics

- 49 dBA printing
- 35 dBA idle


Duty Cycle

- Up to 10,000 pages per month

Warranty

- 1-year LexExpressSM limited warranty
- For more warranty information, visit Warranties and Returns at www.lexmark.com

**Yield is based on approximately 5% print coverage*



Competitive Comparison

	Lexmark E320	Brother HL-1440	OKIPAGE 14e	Xerox Docuprint P8EX
MSRP Prices	\$359	\$399	\$389	\$299
Technology	Laser	Laser	Laser	Laser
Speed	16 ppm	15 ppm	14 ppm	8 ppm
Time to First Page	< 12 seconds	< 15 seconds	7.5 seconds	19 seconds
Processor	67 MHz RISC	66 MHz	50 MHz	33 MHz KS32C6100
Max. Resolution	1200 IQ/600x600 dpi	1200x600 dpi	600 dpi Class	1200 x 1200 dpi
Memory (std./max)	4MB/68MB	2MB/34MB	4MB/36MB	4MB/36MB
Interface (std.)	Parallel, USB	Parallel, USB	Parallel, USB	Parallel, USB
Paper Handling				
Std. Sheets (in/out)	151/101	251/151	251/150	151/101
Max Sheets (in/out)	401/101	251/151	850/150	151/101
Std. Sources (in/out)	2/2	2/2	2/1	2/2
Max. Sources (in/out)	3/2	2/2	3/1	2/2
Optional Input	250	N/A	500	N/A
Max. Paper Size	8.5 in. x 14 in.	8.5 in x 14 in.	8.5 in. x 14 in.	8.5 in x 14 in.
Media Weight	16-43 lb. (60-163 g/m ²); card stock up to 90 lb. index (up to 163 g/m ²)	Manual: 17-43 lb. (64-163 g/m ²) Trays: 17-28 lb. (64-105 g/m ²)	N/A	Manual: 16-42 lb. (60-160 g/m ²) Tray 1: 16-24 lb. (60-90 g/m ²)
Compatibility	PCL 5e	PCL 4	PCL 6	PCL 5e, PCL 6
Supply Yield (pages)* (std.) (high yield)	1,500**/3,000 6,000	3,000 6,000	2,000	5,000
Monthly Duty Cycle	10,000 pages	10,000 pages	15,000 pages	8,000 pages
Warranty	1-year LexExpress	1-year Express Exchange	1-year	1-year Onsite Exchange

*Yield at approximately 5% coverage

**Ships with Lexmark E320



LEXMARKTM E320

Redefining your desktop printing at
home or in the office



Order Information Chart

Part Number	UPC	Description
United States		
08A0150	7-34646-51105-6	Lexmark E320
SUPPLIES		
Print Cartridges*		
08A0475	7-34646-36872-8	3,000-page Print Cartridge
08A0476	7-34646-36873-5	3,000-page Prebate Print Cartridge
08A0477	7-34646-36874-2	6,000-page High Yield Print Cartridge
08A0478	7-34646-36875-9	6,000-page High Yield Prebate Print Cartridge
Media		
70X7240	7-34646-03810-2	Transparencies (letter)
OPTIONS AND FEATURES		
Paper Handling		
08A0480	7-34646-36877-3	250-sheet Drawer
08A0481	7-34646-36878-0	250-sheet Tray
12A2435	7-34646-18435-9	Paper Tray Cover
08A0461	7-34646-37176-6	Paper Tray 2 Cover
SDRAM Memory DIMMs		
5K00013	7-34646-28612-1	4MB SDRAM
5K00014	7-34646-28613-8	8MB SDRAM
5K00015	7-34646-28614-5	16MB SDRAM
5K00016	7-34646-28615-2	32MB SDRAM
5K00017	7-34646-28616-9	64MB SDRAM
CONNECTIVITY		
External Print Servers		
46D0060	7-34646-30316-3	MarkNet X2011e Ethernet 10/100BaseTX – 1-port
46D0040	7-34646-30315-6	MarkNet X2012e Ethernet 10/100BaseTX/10Base2 – 1-Port
46D0020	7-34646-30314-9	MarkNet X2031e Ethernet 10/100BaseTX – 3-Port
46D0000	7-34646-30313-2	MarkNet X2030t Token-Ring – 3-Port
Cables and Attachment Options		
1368705	7-34646-11309-0	External Serial Adapter
1329605	0-87944-09056-4	Parallel Cable (10-foot)
1427498	7-34646-13068-4	Parallel Cable (20-foot)
12A2405	7-34646-18340-6	USB Cable (2-meter)
1038693	7-34646-21649-4	Serial Cable (50-foot)

*Yield at approximately 5% coverage

Lexmark International, Inc. is a global developer, manufacturer and supplier of printing solutions and products, including laser, inkjet and dot matrix printers and associated consumable supplies for the office and home markets. Lexmark is on the internet at www.lexmark.com. Prices and other information subject to change without notice. Lexmark, Lexmark with diamond design and MarkNet are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. LexExpress is a service mark of Lexmark International, Inc. LocalTalk, Mac OS and Mac Logo are trademarks of Apple Computer, Inc., registered in the United States and/or other countries. PCL is a trademark of Hewlett-Packard Company. All other trademarks are the properties of their respective owners. As an ENERGY STAR Partner, Lexmark International, Inc. has determined that this product meets the ENERGY STAR guidelines for energy efficiency. ENERGY STAR is a US registered trademark.



LEXMARKTM
Passion for printing ideas.TM

©2001 Lexmark International, Inc.
All Rights Reserved
10/29/2001