

Canon



CORPORATE SOLUTIONS



**Color
imagerUNNER®
C 2 5 5 0**

meap
POWERED BY

CORPORATE SOLUTIONS

INTRODUCING THE COLOR imageRUNNER C2550.
QUALITY COLOUR HAS A NEW ADDRESS — YOUR OFFICE.

Smart Colour in the Office



 **Color
imageRUNNER®**
C 2 5 5 0

Achieving high productivity from your office multifunction system becomes a reality when your office is powered by the Canon Color imageRUNNER C2550 device. With robust functionality, advanced print engine technology, superior paper handling, and professional finishing options, it's the ideal solution for business performance.

The Color imageRUNNER C2550 device delivers output at speeds of up to 25/23 ppm (letter), respectively, in monochrome and brilliant colour. With Canon's new Colour On-Demand Fusing Technology using QF (Quick Fixing) Colour Toner, you'll realize short warm-up and first-copy-out times as well as low energy consumption.

BIG FEATURES, SMALL FOOTPRINT, AND IMPRESSIVE COLOUR. EVERY DAY.

The Color imageRUNNER C2550 has a much smaller footprint than other multifunction devices. They also feature a short vertical paper path. Using the new Accelerated Paper Feeding Method, quick printing of both single-and double-sided documents is simple. Every word will appear with absolute clarity at 1200 dpi with the new four-in-one laser scanner.** An optional internal finisher is available, so productivity won't be sacrificed for a compact design.

The Color imageRUNNER C2550 model provides memory capacity of up to 1.5GB, an 80GB hard drive, and Canon's innovative MEAP® (Multifunctional Embedded Application Platform) technology for customized workflows. With high capacity finishing options, professional output is available for any project.

The Color imageRUNNER C2550 device enables efficient document distribution with Canon's Color Universal Send technology. Standard on all models, it provides comprehensive, simultaneous dissemination of information to multiple locations, across the hall or around the globe.


Function	Color imageRUNNER C2550
Copy	Standard
Mail Box	Standard
Print	Standard: UFR II Optional:* PCL, PostScript® Emulation,**
Scan	Standard: Color Network ScanGear
Color Universal Send	Standard: Color Universal Send
	Optional: Universal Send PDF Advanced Feature-Set
	Optional: Universal Send PDF Security Feature-Set
Super G3 Fax	Optional: Single-Line or Multi-Line
Web Access	Optional
MEAP	Standard

* Choose PCL Printer Kit-Q3

** Requires 1200 dpi Printer Expansion Board-A1, also requires 512MB Ram.

COLOR imageRUNNER C2550 SERIES OVERVIEW

Productivity at your fingertips





THE COMPACT DEVICE WITH EVERYTHING YOU NEED TO SUCCEED

Canon imageCHIP System Architecture

- imageCHIP Architecture Provides More Speed and Power for Greater Productivity
- Up to 1.5GB RAM and 80GB HDD
- Dedicated Dual Processor Design
- Mail Box: Local Archival Solution
- Remote UI Device Management



Efficient Speeds

- C2550 (Black and White/Colour): Up to 25/23 ppm
- Quick 38-Second Warm-Up Time
- Fast First-Copy-Out Times: B/W: 5.9 Seconds, Colour: 8.9 Seconds
- Up to 44-ipm High-Speed Colour and Black-and-White Scanning
- 50-Sheet DADF Optional

Reliable Consumables and Supplies

- Individual OPC Drum Units
- Easy-To-Replace Set-On Toner Cartridges
- Oil-Free Quick Fixing (QF) Colour Toners



Accessibility Options

- Voice Operation Kit
- Remote Operator's Software Kit
- ADF Access Handle
- Braille Label Kit




Advanced Finishing Options

- Internal Finisher (shown) Maintains Footprint
- Corner, Double Stapling
- Extensive Stacking Capacity

Superior Paper-Handling

- Up to 4,950-Sheet Paper Capacity
- 50-Sheet Bypass Tray
- Up to 110 lb. Index Media Weights
- Up to 12" x 18" Media Sizes



Finisher-Z1	Cassette Feeding Unit-Y3	Cabinet-P1	Paper Deck-Z1



HIGH QUALITY AND PRODUCTIVITY

The features you want, the performance you need

The Color imageRUNNER C2550 delivers the powerful performance and rich functionality that your office needs, in a compact and affordable device.

NEW-GENERATION IMAGE PROCESSING

The Color imageRUNNER C2550 is powered by Canon's new evolutionary imageCHIP system architecture. This not only enables simultaneous copying, printing, scanning, sending, and faxing, but it will change the way you think about using colour in your office.

IMAGE QUALITY OPTIMIZATION

Canon has developed technologies that improve the image quality and performance of this latest Series of Color imageRUNNER devices. The optional Enhanced Resolution System (ERS) optimizes print performance by accelerating the rasterization of 1200-dpi print data. Advanced Smoothing Technology (AST) increases image quality by smoothing the edges of printed text and graphics.

imageCHIP System Architecture



COMPLEX JOBS MADE SIMPLE

The Color imageRUNNER C2550 device makes the production of complicated documents manageable. Combine different sets of documents into one with Job Block Combination. Each set can be configured to run with unique settings, such as paper type, finishing, colour, and more, then reproduced or stored as a new document in a Mail Box.

DIGITAL DYNAMICS

Adding digital data to copies and prints is easy and powerful. Create ad hoc watermarks, select preset stamps, add page and copy set numbering, and/or date stamping to any output with control over the size, position, colours, and density. You can also embed secure watermarks that appear when copies are made to help prevent security leaks of confidential information.

Secure Watermark



Original document with hidden text and background colour

Hidden text appears on copies that are made

The Color imageRUNNER C2550 model offers an optional internal finisher that can corner or double-staple multipage documents without increasing the footprint of the device.

General office environments that print Microsoft® Office documents will benefit from the standard UFR II print controller on the Color imageRUNNER C2550 device. The UFR II controller is optimized to facilitate high-speed colour printing by distributing the data processing between the print driver on the user's desktop computer and the controller. Additional options that provide support for PCL and PostScript emulation are available.

Copy operations are greatly simplified through the choice of two user interfaces. The standard copy display simplifies operations for novice users, while an Express Copy menu provides advanced users quick access to various copying modes on a single screen. With the 50-sheet Duplexing Automatic Document Feeder (DADF) accessory, you can scan/copy documents at up to 44 impressions per minute (ipm) at 300 dpi in black and white and colour.






SUPERIOR COMMUNICATION

Enhance your digital world with Color Universal Send

With Canon's proprietary Color Universal Send technology standard on all models, the Color imageRUNNER C2550 device enables you to distribute scanned documents to multiple network destinations—such as e-mail and Internet fax addresses, local Mail Boxes, fax, network folders, and document management systems—in one simple operation. Quickly and easily send documents to user addresses in a local Address Book, look up users from multiple LDAP servers on your network, or manually enter a destination. When Single Sign-On (SSO) or Simple Device Log-in (SDL) authentication modes are used, a new time-saving feature enables you to send documents to yourself in a single click.

Color Universal Send offers powerful options to master the creation, distribution, and archiving of your documents. Universal Send PDF Advanced Features provide additional functionality such as PDF High Compression, Trace & Smooth PDF, and Searchable PDF modes.



Send Main Menu

Universal Send



FILE SIZE COMPARISON

Original: Letter-Sized Hard Copy (Colour Graphics with Text)

Canon's PDF (Compact)	PDF File Format	PDF File Format
300-dpi Colour Scan	300-dpi Colour Scan	300-dpi B/W Scan
File Size: 150 KB	File Size: 2 MB	File Size: 390 KB

PDF High Compression Mode

PDF HIGH COMPRESSION TECHNOLOGY

Canon's proprietary PDF High Compression Mode makes more efficient use of your network and storage resources by significantly reducing the size of PDF files. And with the exclusive Trace & Smooth PDF feature, text in PDF files can be converted to outlines for sharper edges and increased readability.

CREATING SEARCHABLE PDF DOCUMENTS


After scanning for PDF creation, the text is then embedded within the file for extraction or keyword searches with the Searchable PDF feature. This allows you to easily scan and convert scanned documents into your electronic workflow.

HIGH-VOLUME FAX CAPABILITY

The Color imageRUNNER C2550 device supports the option to add a single, or multi-line Super G3 fax module to further extend the capabilities of Color Universal Send. Incoming faxes can also be automatically routed to other devices, destinations, or users with the Job Forwarding feature for superior workflow management.

ADVANCED WORKGROUP COLLABORATION

The Color imageRUNNER C2550 model includes internal Mail Boxes for document storage and print-on-demand applications. Documents can be combined and printed as a single job or sent to multiple destinations in a variety of formats. For files that are too large for e-mail, or require a large distribution list, the URL Send feature can e-mail a link to notify recipients that they can remotely preview via PC and, if necessary, print from the device.




Mail Box

DESKTOP INTEGRATION

The Color imageRUNNER C2550 device is designed to work seamlessly with Canon's imageWARE™ Optional Document Manager Personal Version 4 as a total end-to-end document solution, enhancing the integration between your workspace and the device.

imageWARE Document Manager Personal Version 4





INTERNET-READY

Web-savvy solutions that evolve with your business

The Color imageRUNNER C2550 device provides more ways to share information with the world beyond your office than ever before. And as your business grows, it will continue to provide value with features and options designed to extend your capabilities.

WEB BROWSING AND PRINTING

With the industry's first Web Access Software option, you can browse the Web or corporate intranets directly from the device's colour touch-panel display. The Web Access function enables you to print Web pages or PDF files from the Internet or your network, even when you don't have access to a computer.*

WEB-BASED DOCUMENT COLLABORATION

Color Universal Send supports the Web-based Distributed Authoring and Versioning (WebDAV) protocol, enabling you to securely send documents to a shared storage service over the Internet. Collaborate on documents with others, whether they're in the office, on the road, or at home for increased productivity.



Web Access Software

SCALABILITY

imageWARE Document Manager



eCopy ShareScan OP

OPEN PLATFORM INTEGRATION

With Canon's Java-based MEAP architecture, you can design custom interfaces and applications to run on the Color imageRUNNER C2550 devices' touch panel colour. MEAP applications can be easily created to support customized workflows for the seamless integration of your business processes.

POWERFUL DOCUMENT MANAGEMENT

Canon offers industry-leading solutions for effective production, archiving and retrieval of critical business documents. Canon's imageWARE Publishing Manager software can create documents comprised from many different sources and applications using a simple drag-and-drop interface. And Canon's optional imageWARE Document Manager software enables you to efficiently store vast amounts of information in a centralized electronic repository for easy, secure, and effective document management.

* Requires PS Printer Kit-Q3 if printing PDF files.



POWERFUL IMAGING



Flexible colour productivity for your office

Canon offers a flexible print controller option for the Color imageRUNNER C2550 increases productivity and colour quality in more demanding colour environments.

HOT FOLDERS WITH VIRTUAL PRINTERS


Increase your document production capabilities by adding optional components that streamline printing. Hot Folders save time for users by providing the ability to drag-and-drop documents into designated folders for complex print jobs. Virtual Printers is a utility allowing administrators to create network-accessible printers that are configured for specific print jobs.

Command WorkStation



Hot Folders

Trace & Smooth PDF



TRACE & SMOOTH PDF

PDF High Compression Mode offers Trace & Smooth PDF functionality, which can convert text and line art in scanned documents to scalable artwork (vector graphics data) in PDF format.* The vector graphics can then be manipulated in Adobe Illustrator® to create elements for other documents.

* Results may vary.



USER-FRIENDLY

Simplicity for users

The Color imageRUNNER C2550 model is designed to make you more productive with an easy-to-read, full-colour touch panel, interactive help menus, and more useful documentation and tutorials. Remote tools enable you to monitor and perform operations on the device from any computer on the network.

Help Key



Control Panel




Easy Operation Guide and Tutorial CD

REMOTE UI (USER INTERFACE)

The Color imageRUNNER C2550 device can be accessed through a Web browser from any computer on the network. The Remote UI utility provides the ability to check the status of the device, track the progress of current jobs, monitor paper and toner levels, administer the Mail Box, and edit the Address Book.

Electronic User Manuals



SUPPORT TOOLS FOR OPERATORS

Whether you're a beginner or an advanced user, the Canon Color imageRUNNER C2550 device is easy to navigate. The Easy Operation Guide provides step-by-step instructions on the operation of the device's main functions. And the [Help] hard key on the device provides instructions and explanations for operation. The user manuals for the device are CD-based and feature search tools to find answers quickly and easily. Macromedia® Flash® Tutorials are also available and can be distributed through your network or corporate intranet for smooth deployment.

...and for administrators

The Color imageRUNNER C2550 device includes features that control user access and privileges to the device as well as the ability to facilitate the management of one or many devices throughout your enterprise.

FLEXIBLE USER ADMINISTRATION

Administrators have a choice of methods to control access and privileges to the Color imageRUNNER C2550 device. Authentication schemes include Single Sign-On (SSO) using network accounts, Simple Device Log-in (SDL), and Department ID Mode with optional Control Card/Card Reader system.


COMPREHENSIVE DEVICE MANAGEMENT

Canon's imageWARE Enterprise Management Console (EMC) is a Web-based utility that facilitates centralized management of networked devices. Built on an extensible framework, it enables remote management of device settings, discovery of new devices using automated tasks, and device error notifications via e-mail. Administrators can also easily replicate settings and Address Books across multiple devices through the Device Information Delivery Function (DIDF), as well as push-print drivers to PC-based desktop computers for rapid deployment.

Card Reader



Single Sign-On Log-In Screen



imageWARE Enterprise Management Console



SECURITY AND ACCESSIBILITY

DEVICE AND DATA SECURITY

The Color imageRUNNER C2550 provides user-level authentication to prevent unauthorized access. In addition to user-level authentication, access to the device can be restricted by network port or IP/MAC address. To protect your stored, scanned, and printed data, the HDD Data Erase option permanently removes deleted files by overwriting them up to three times. The HDD Data Encryption option provides additional security by encrypting data before it is written to the hard disk drive, and has achieved Common Criteria (CC) certification.



Digital Signature PDF



Voice Operation Kit



Encrypted Secured Print

Document Security


- Encrypted Secured Print
- Watermark/Secure Watermark
- Copy Set Numbering
- Encrypted PDF
- FAX Forwarding
- FAX Destination Confirmation

Mail Server Security

- POP Authentication before SMTP
- SMTP Authentication

Network Security

- MAC Address Filtering
- IP Address Filtering
- SSL Encryption
- Network Application On/Off
- USB Block
- Destination Restriction



Device Management and Security Overview

DOCUMENT SECURITY

The Universal Send PDF Security Feature Set option prevents impersonation or interception of your documents. Digital Device Signature mode and optional Digital User Signature mode provide verification of a document's source. You can also password-protect your documents with the Encrypted PDF feature, and securely print them over the network using the Encrypted Secured Print feature.

ACCESSIBILITY

Canon offers solutions that go even further to ensure access for every authorized user of the Color imageRUNNER C2550 device. The device can be controlled with spoken commands using the Voice Operation Kit, which provides speech synthesis and voice recognition for individuals who are blind, have poor vision, or mobility/dexterity impairments.

SPECIFICATIONS



MAIN UNIT		OPTIONAL ACCESSORIES	
Type:	Colour Digital Multifunction Imaging System	Super G3 Fax Board-W2/Super G3 Multi-Line Fax Board-J2	
Copying Method:	Laser Dry Electrostatic Transfer	Applicable Line:	Public Switched Telephone Network (PSTN)
Developing System:	Dry Dual Component Developing System	Connection Lines:	One-Line (Super G3 Fax Board-W2), Two-Lines (Super G3 Multi-Line Fax Board-J2)
Memory:	Standard 1GB RAM Maximum 1.5GB RAM	Sending/Original Size:	Statement to 11" x 17"
Hard Disk Drive:	80GB	Recording/Printing Size:	Statement to 11" x 17"
Network Interface Connections:	10/100Base-TX (RJ-45)	PCL Printer Kit-Q3**	
Other Interface:	USB 2.0 (Device), USB 2.0 (Host)	CPU:	Canon Dual Custom Processor (Shared)
First-Copy Time:	8.9 Seconds (Colour) 5.9 Seconds (B/W)	Memory:	1GB RAM (Standard) 1.5GB RAM (Maximum) (Shared)
Warm-Up Time:	38 Seconds After Powering On	Hard Disk Drive:	80GB (Shared)
Copy/Print Speed (B/W, Colour):	C2550: 25/23 ppm (Letter)	Supported PDL:	PCL 5c/PCL 6
Scan Resolution:	600 dpi x 600 dpi	Optional PDL Support:	PostScript 3 Emulation (PS Printer Kit-Q1**)
Copy Resolution:	600 dpi x 600 dpi (Std.)	Print Resolution	
Engine Resolution:	600 dpi x 600 dpi 1200 dpi x 1200 dpi (Opt.)	PCL 5c:	600 dpi x 600 dpi 2400 dpi equivalent x 600 dpi
Halftone:	256 Gradations (Continuous-Tone)	PCL 6c:	600 dpi x 600 dpi 1200 dpi x 1200 dpi* (Text and Line Only) 2400 dpi equivalent x 600 dpi
Paper Sources		PS3 (Optional):	1200 dpi x 1200 dpi* (Text and Line Only) 2400 dpi equivalent x 600 dpi
Standard:	Dual 550-Sheet Paper Cassettes 50-Sheet Stack Bypass	Printer Drivers	
Optional:	Dual 550-Sheet Paper Cassettes 2,700-Sheet Paper Deck	PCL 5c:	Windows (Windows 98/Me/2000/XP/Server 2003, Windows Vista, Citrix MetaFrame)
Maximum:	4,950 Sheets	PCL 6c:	Windows (Windows 98/Me/2000/XP/Server 2003, Windows Vista, Citrix MetaFrame)
Paper Sizes		PS3 (Optional):	Windows (Windows 98/Me/2000/XP/Server 2003, Windows Vista, Citrix MetaFrame), Macintosh (OS 10.2.8 or later)
Drawers:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive	Cassette Feeding Unit-Y3	
Bypass:	12-5/8" x 17-11/16", 12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive, Irregular Size (3-15/16" x 5-7/8" to 12-7/8" x 18") and Envelopes	Paper Sizes:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
Acceptable Paper Weight		Paper Drawers Capacity:	550-Sheet x 2 Cassettes [20 lb. Bond (80 g/m ²)]
Drawers:	17 lb. Bond to 90 lb. Index	Dimensions (H x W x D):	9-7/8" x 22-1/4" x 27-5/8"
Bypass:	17 lb. Bond to 110 lb. Index	Weight:	Approximately 50.7 lb. (23kg)
Duplexing:	Standard Automatic Trayless Duplexing (Executive to 12" x 18") (standard)	Paper Deck-Z1	
Color imageReader-L1:		Paper Size:	Letter
Acceptable Originals:	Sheet, Book, 3-Dimensional Objects (Up to 4.4 lb.)	Paper Deck Capacity:	2,700 Sheets [20 lb. Bond (80 g/m ²)]
Maximum Original Size:	11" x 17"	Dimensions (H x W x D):	18-5/8" x 14-5/8" x 23-1/4"
Document Feeding Method:	Duplexing Automatic Document Feeder (Opt.)	Installation Space (W x D):	36-7/8" x 29-3/4"
Acceptable Originals:	Statement to 11" x 17"	Weight:	Approximately 65.3 lb. (29.6kg)
Paper Capacity:	50 Sheets	Finisher-Z1	
Acceptable Paper Weight of Originals:	Simplex 11 lb. to 32 lb. Bond (42 to 128 g/m ²) Duplex 13 lb. to 32 lb. Bond (50 to 128 g/m ²)	Number of Trays:	1 Tray
Scan Speed:	44 ipm (300 dpi) 28 ipm (600 dpi)	Power Consumption:	
Dimensions (H x W x D):	31-1/8" x 22-1/4" x 29-3/4" (Main Unit) 36" x 22-1/4" x 29-3/4" (with DADF-L1)	Plug:	NEMA 5-15P
Installation Space (W x D):	34" x 29-3/4" (when the Stack Bypass is extended)	Toner (Estimated Yield):	Black: 26,000 Images @ 5% Coverage Colour: 14,000 Images @ 5% Coverage
Weight:	Approximately 256 lb. (116kg Main Unit) Approximately 275 lb. (125kg with DADF-L1)	Copy Features	
Power Requirements:	120V AC, 60Hz, 15A	Multiple Copies:	1 to 999
		Max. Copy Reservation:	10 Jobs
		Colour Mode:	Auto Colour, Full Colour, Black, Single Colour, Two Colours
		Copy Exposure:	Automatic or Manual (9 Levels)
		Magnification	
		Preset Reduction:	25%, 50%, 64%, 73%, 78%
		Preset Enlargement:	121%, 129%, 200%, 400%
		Zoom Mode:	25% - 400% (1% increments)
		Print Features	
		CPU:	Canon Dual Custom Processor
		Memory:	1GB RAM (Standard) 1.5GB RAM (Maximum) (Shared)
		Hard Disk Drive:	80GB (Shared)
		Print Resolution	600 dpi x 600 dpi
		UFR II:	1200 dpi x 1200 dpi* (Text and Line Only) 2400 dpi equivalent x 600 dpi
		Printer Driver	
		UFR II:**	Windows® (Windows 2000/XP/Vista Server 2003, Citrix MetaFrame), Macintosh® (OS 10.2.8 or later) Windows Vista
		XPS:	
		Mail Box Features	
		Max. Mail Boxes Supported:	100 User Inboxes, 1 Memory RX Inbox, 50 Confidential Fax Inboxes
		Scan Features	
		Network TWAIN Scan:	Standard
		Network Scan Utility:	Color Network ScanGear
		Color Universal Send Features	
		Colour Mode:	Auto Colour Select (Full Colour/Grayscale) Auto Colour Select (Full Colour, B/W) Full Colour, Grayscale, B/W
		Address Book Capacity:	Max. 1,800 Destinations (Includes 200 One-Touch Buttons) Max. 5 LDAP Servers
		Sending Methods:	E-Mail, I-FAX, SMB, File Server (FTP, IPX, WebDAV), User Inbox, Super G3 Fax (Optional)
		Communication Protocol	
		File:	FTP (TCP/IP), SMB (TCP/IP), NCP (IPX), WebDAV
		E-Mail/I-Fax:	SMTP, POP3, I-FAX (Simple, Full)
		Data Format	
		File, E-Mail:	TIFF, JPEG, PDF, PDF (Compact),** PDF (Trace & Smooth),** PDF (OCR),** Encrypted PDF,*** Digital Signature PDF (Device,*** User)
		I-Fax:	B/W: TIFF (MH, MR, MMR) Colour: TIFF (Profile-C)

Paper Size		Staple Mode:	Corner (11" x 17", Legal, Letter, Letter-R)
Standard:	12-5/8" x 17-11/16", 12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Envelopes (COM10 No. 10, Monarch, DL, ISO-B5, ISO-C5, Yougata 4, Catalog Glove No.8)	Dimensions (H x W x D):	Double (11" x 17", Letter)
Non-Standard Size:	3-7/8" x 5-9/16" to 12-5/8" x 18"	Installation Space (W x D):	8-1/2" x 27-3/8" x 21-5/8"
Paper Weight:	17 lb. Bond to 80 lb. Cover	Weight:	42" x 29-3/4" (when the Auxiliary Tray is extended)
Paper Capacity Per Tray:	500 Sheets (Letter, Statement, Statement-R) or 2-3/4" in Height		Approximately 26.5 lb. (12kg)
	250 Sheets (11" x 17", Legal, Letter-R) or 1-3/8" in Height	Inner 2 Way Tray-D1	
Paper Capacity of Staple Mode:		Paper Size	
	500 Sheets/30 Sets (Letter) or 2-3/4" in Height	Standard:	12-5/8" x 17-11/16", 12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
	250 Sheets/30 Sets (11" x 17", Legal, Letter-R) or 1-3/8" in Height	Non-Standard:	3-7/8" x 5-9/16" to 12-5/8" x 18"
	500 Sheets/30 Sets (Staple Mode with Different Paper Sizes) or 2-3/4" in Height	Max. Paper Weight:	17 lb. Bond to 80 lb. Cover
Max. Stapling Capacity		Paper Capacity Per Tray	
Letter:	50 Sheets (17 lb. to 20 lb. Bond) 30 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (32 lb. Bond to 90 lb. Index)	Upper Output Tray:	100 Sheets (Letter) 50 Sheets (Other Sizes)
		Lower Output Tray:	250 Sheets (Letter) 100 Sheets (Other Sizes)
11" x 17", Legal, Letter-R:	30 Sheets (17 lb. to 20 lb. Bond) 20 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (32 lb. Bond to 90 lb. Index)	Dimensions (H x W x D):	6" x 7" x 21-1/2"
		Installation Space (W x D):	34" x 29-3/4"
		Weight:	Approximately 8.6 lb. (3.9kg)

OTHER OPTIONAL ACCESSORIES

- Encrypted Secured Print Software-C1[■]
- Barcode Printing Kit-A1[■]
- Web Access Software-E1[♦]
- Universal Send PDF Advanced Feature Set-A1
- Universal Send PDF Security Feature Set-A1
- Digital User Signature PDF Kit-A1
- Secure Watermark-A1^{†††}
- Super G3 Fax Board-W2
- Super G3 Multiline Fax Board-J2
- imageRUNNER 512MB Expansion RAM-C1
- HDD Data Erase Kit-B1
- HDD Data Encryption Kit-B1
- Voice Guidance Kit-B1[▲]
- Access management system Kit-A1
- Workflow Composer B3
- 1200 dpi Printer Expansion Board-A1
- Wireless Network Interface Adapter NB-W1
- Voice Operation Kit-A1[▲]
- Remote Operator's Software Kit-A2
- Platen Cover Type H[▲]
- Copy Tray-J1
- Envelope Feeder Attachment-C2
- FL Cassette-Y1
- FL Cassette-Z1
- Document Tray-J1
- Card Reader-C1
- Card Reader Kit-B1
- Key Switch Unit-A2
- Braille Label Kit-A1
- ADF Access Handle-A1
- Stamp Unit-B1
- eCopy Suite
- imageWARE™ Suite
- Cabinet P1

Footnotes:

- * If 1200 dpi print is selected, engine speed will slow down. Requires 1200 dpi Printer Expansion Board-A1
- ** Requires Universal Send PDF Advanced Feature Set-A1
- *** Requires Universal Send PDF Security Feature Set-A1
- † Requires Digital User Signature Kit-A1
- †† Color UFR II Printing is standard on the C2550 model
- ††† Requires imageRUNNER 512MB Expansion RAM-C1
- Requires PCL Printer Kit-Q3
- ♦ Requires PS Printer Kit-Q3 if printing PDF files
- ▲ Optional
- ▲▲ Check with your Authorized Canon Dealer for availability
- ▲ Voice Guidance Kit and Voice Operation Kit cannot be installed together.

Canon
*image*ANYWARE

1-800-OK CANON
www.canon.ca

As an ENERGY STAR® Partner, Canon Canada Inc. has determined that these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries. Adobe, Illustrator and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries. Celeron and Intel are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and/or other countries. CANON, IMAGERUNNER, and MEAP are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEWARE is a registered trademark of Canon U.S.A., Inc. in the United States and is a trademark of Canon Inc. in certain other countries. IMAGEANYWARE is a trademark of Canon. All referenced product names and other marks are trademarks of their respective owners. Specifications subject to change without notice. ©2006 Canon Canada Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.



0120W629

