



Go work in colour!



print



copy



scan



fax



colour

## Lexmark **X560n**

Colourful efficiency for medium-sized workgroups!



- Colour laser multifunction device
- Up to 30 ppm mono, 20 ppm colour
- Newly enhanced toner to impact your business
- Easy to share, easy to use

X560n

X560dn

**LEXMARK**<sup>TM</sup>

# Lexmark **X560n**



Expand your horizons.

## **Great value for your everyday colour needs**

Printing should be as attractive on your budget as it is on your documents. Built for demanding medium-sized workgroups, the Lexmark X560n MFP brings you a world of cost-saving benefits. By merging print, copy, fax and scan into one high-performance network device, you save considerably on office space, hardware costs, consumables, service contracts and even energy. But why stop there? Opt for the high-yield cartridges to drive down your cost per page. And add the optional duplex unit to save paper, money and the environment – all at the same time!

## **Elevate office productivity!**

The Lexmark X560n is robust, reliable and ready to go to work. With PostScript 3 and PCL6 compatibility, it ensures perfect integration into any IT environment. Need to copy a large presentation before lunch? No problem. Just load the 50-page Automatic Document Feeder and zip through output as fast as 30 ppm in mono, 20 ppm in colour. More than just fast, the X560n gives you a range of efficiency-boosting features too, like a multipurpose feeder, fax speed dials and intuitive workflow software to digitise, manage, search and edit documents with ease.

# Lexmark X560n

## An effortless way of working

A real plug-and-print solution, everything about the Lexmark X560n is straightforward and simple. The consumables are 100% front-loading, so they literally take just seconds to replace. And the operator panel offers a variety of intuitive features to simplify everyday workflow tasks. For instance, it includes a handy job-cancel button to put the brakes on print runs quickly, so you don't waste paper. And the 4-line graphical display guides you through printing and maintenance tasks with ease. All the tools you need to maximise uptime and boost productivity!

## Colour you can be proud of

New studies show that colour can increase brand recognition and reader retention by up to 80%, and that more than 60% of buying decisions are based on colour!\* Even a little bit of colour can make a big difference in your business. So when you can acquire colour that's fast and affordable as well as eye-catching, why settle for anything less? Combining newly enhanced toner, Pantone calibration and crisp 2400 Image Quality, the Lexmark X560n is perfect for all your important document needs – from presentations and office memos to spreadsheets and newsletters.

\* Source: InfoTrends 2007

## Optional features to increase efficiency!



### Duplex print unit

What better way to reduce costs while promoting earth-friendly practices in your business? With two-sided printing, everyone wins. Save paper, money and the environment!



### Extra drawer with floor stand

To load a second paper type or increase your input capacity, just opt for the extra 550-sheet drawer. It comes with a flexible floor stand, which gives you extra storage space too.

**Lexmark's guarantee to you :** At Lexmark, we're always working hard to ensure you achieve maximum productivity and minimum downtime. Our X560n MFP includes our solid service guarantee of One-year On Site Repair, with a response time of next business day\*. For an even greater level of peace of mind, you can opt for one of our extended-guarantee service offerings. For more information on any of these offerings, just contact your local dealer or visit us today at [www.lexmark-me.com](http://www.lexmark-me.com) \* In serviceable areas

# Lexmark X560n

## The ideal colour MFP for medium-sized workgroups

Designed especially for medium-sized workgroups that want quality colour and increased productivity, Lexmark's network-ready X560n MFP delivers high-performance printing, copying, scanning and faxing. The perfect solution for your everyday colour needs! Options include duplex printing and extra input capacity.

### Print Technology

Color Laser

#### Print Speed (A4, Black)

Up to 30 ppm

#### Print Speed (A4, Colour)

Up to 20 ppm

#### Print Speed (Letter, Black)

Up to 31 ppm

#### Print Speed (Letter, Colour)

Up to 20 ppm

#### Time to First Page (Black)

As fast as 10 seconds

#### Time to First Page (Colour)

As fast as 10 seconds

#### Copy Speed (A4, Black)

Up to 30 cpm

#### Copy Speed (Letter, Black)

Up to 31 cpm

#### Time to First Copy (Black)

As fast as 11 seconds

#### Print Resolution, Black

2400 Image Quality

600 x 600 dpi

#### Print Resolution, Color

2400 Image Quality, 600 x 600 dpi

#### Processor

400 MHz

#### Memory, Standard

384 MB

#### Memory, Maximum

1408 MB

#### Expandable Memory Options

Yes

#### Apple Macintosh Operating Systems Supported

Mac OS X

#### Citrix MetaFrame

Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows Server 2003 running Terminal Server with Citrix Presentation Server 4.0, Microsoft Windows Server 2003 x64 Edition (Standard, Enterprise) running Terminal Server with Citrix Presentation Server 4.0

#### Linux Operating Systems Supported

SUSE Linux 9, Red Hat Enterprise Linux WS 3.0, 4.0

#### Microsoft Windows Operating Systems Supported

2000, XP, Server 2003, XP x64, Server 2003 x64 Edition, Vista, Vista x64

### Paper Handling Optional

550-Sheet Drawer, Duplex Unit

#### Paper Input Capacity (Standard)

400 pages 20 lb or 75 gsm bond

#### Paper Input Capacity (Maximum)

950 pages 20 lb or 75 gsm bond

#### Paper Output Capacity (Standard)

350 pages 20 lb or 75 gsm bond

#### Paper Output Capacity (Maximum)

350 pages 20 lb or 75 gsm bond

#### Copy/Fax/Scan (ADF) Paper Input Capacity

Up to 50 pages 20 lb or 75 gsm bond

#### Finishing Option

No

#### Number of Paper Inputs

2

#### Number of Paper Inputs, Maximum

3

#### Media Types Supported

Card Stock, Envelopes, Glossy paper, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide

#### Media Sizes Supported

10 Envelope, 7 3/4 Envelope, A4, A5, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal

### Standard Ports

Centronics IEEE 1284 Bidirectional Parallel, Fast Ethernet, USB 2.0 Specification Hi-Speed Certified

#### Optional Network Ports

Lexmark N4050e 802.11g Wireless Print Server (Print Only), External MarkNet™ N7020e Gigabit Ethernet, External MarkNet™ N7000e Fast Ethernet (USB), External MarkNet™ N7002e Fast Ethernet (parallel), Internal Multiprotocol Card

#### Network Printing Methods

LPR/LPD, Direct IP (Port 9100), HTTP, FTP

#### Network Protocol Support

TCP/IP IPv4

#### Printable Area

4.1 mm of the top, bottom, right and left edges (within)

#### Printer Languages (Standard)

PCL 6 Emulation, Adobe PostScript® 3

#### Reduce / Enlarge Range

25 - 400 %

#### Scan Area, Maximum

215.9 x 355.6 mm

#### Modem Speed

33.6 Kbps

composite CMY declared cartridge yield up to

this number of standard pages in accordance

with ISO/IEC 19798., Ships with 4,000\*-page

colour Print Cartridges and 5,000\*-page black

starter Print Cartridge, 4,000\*-page colour Print

Cartridges (CMY)

#### Packaged Size (mm - H x W x D)

919 x 584 x 700 mm

#### Size (mm - H x W x D)

730 x 460 x 525 mm

#### Size, Trays Extended (mm - H x W x D)

730 x 536 x 881 mm

#### Weight (kg)

40 kg

#### Acoustics/Noise level (Idle mode)

28 dBA

#### Acoustics/Noise level (Operating mode)

52 dBA

#### Copy Noise Level, Operating

52 dBA

#### Scan Noise Level, Operating

45 dBA

#### Product Guarantee

1 Year on site repair

#### Product Certifications

FCC Class B, UL 60950-1, U.S. FDA, IEC 60320-1, CAN/CSA-C22.2 60950-1-03, ICES-003 Class B, CE Class B, CB IEC 60950-1, IEC 60825-1, EU-CE, GS (TÜV), SEMKO, UL AR, CS, TÜV R, SS-337, K60950, MIC, ACA C-tick mark Class B, BSMI Class B, CCC Class B

#### Specified Operating Environment

Temperature:

10 to 32°C (50 to 90°F), Altitude: 0 - 3100

Meters (10,170 Feet), Humidity: 15 to 85%

Relative Humidity

### Paper Handling Standard

150-Sheet Multipurpose Feeder, 250-Sheet Input Tray, 350-Sheet Output Bin

### Supplies Yield

10,000\*-page black and colour Print Cartridges,

\*Average continuous black or continuous



Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programmes please visit [www.lexmark.com/recycle](http://www.lexmark.com/recycle)




Lexmark, Lexmark with diamond design, Actionwriter, ExecJet, ImageQuick, Mawet, MarkVision, Medley, Optra, Optra Forms, Proprinter, Quickwriter, Selectric, SelectricTouch and Valuewriter are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. Accu-Feed, 4, Color-Grade, ColorSaver, Diamond fine, Fontvision, Linea, PerfectFinish, Photo Jetprinter, Printcrypton, PrintTrio, StapleSmart and Win-Writer are trademarks of Lexmark International, Inc. Auto-inking, Easystrike, IBM and Wheelwriter are registered trademarks of the International Business Machines Corporation in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. All other trademarks are the property of their respective owners are the properties of their respective owners.

# LEXMARK

# Ordering Information


## Lexmark X560n



■ Paper Handling Standard  
■ Paper Handling Optional

| Part #    | Model                                            |
|-----------|--------------------------------------------------|
| 0014A1032 | Lexmark X560n                                    |
| Part #    | Laser Toner/Print Cartridge                      |
| 0X560H2KG | X560 Black High Yield Print Cartridge            |
| 0X560H2CG | X560 Cyan High Yield Print Cartridge             |
| 0X560H2MG | X560 Magenta High Yield Print Cartridge          |
| 0X560H2YG | X560 Yellow High Yield Print Cartridge           |
| 0X560A2CG | X560 Cyan Print Cartridge                        |
| 0X560A2MG | X560 Magenta Print Cartridge                     |
| 0X560A2YG | X560 Yellow Print Cartridge                      |
| Part #    | Paper & Transparencies                           |
| 0012A8241 | Professional Color Laser Transparencies, A4 (50) |
| 0012A5951 | Glossy Laser Paper, A4 (200)                     |
| Part #    | Paper Handling                                   |
| 0014A1121 | X560 Duplex Unit                                 |
| 0014A1120 | X560 550-Sheet Drawer Stand                      |
| Part #    | Flash, SDRAM Memory                              |
| 001025041 | 256MB DDR2-DRAM                                  |
| 001025042 | 512MB DDR2-DRAM                                  |
| 001025043 | 1024MB DDR2-DRAM                                 |
| Part #    | Connectivity                                     |
| 0014A1122 | X560 Multiprotocol Card                          |
| 001021294 | USB (2 Meter) Cable                              |
| 0014T0155 | Lexmark N4050e 802.11g Wireless Print Server     |
| 001021231 | Parallel (10') Cable                             |
| Part #    | Extended Warranties                              |
| 002349754 | 1 Year OnSite Repair Extended Warranty           |
| 002349755 | 2 Year OnSite Repair Extended Warranty           |
| 002349758 | 1 Year Renewal OnSite Repair Extended Warranty   |

## Lexmark X560dn



■ Paper Handling Standard  
■ Paper Handling Optional

| Part #    | Model                                            |
|-----------|--------------------------------------------------|
| 0014A1140 | Lexmark X560dn                                   |
| Part #    | Laser Toner/Print Cartridge                      |
| 0X560H2KG | X560 Black High Yield Print Cartridge            |
| 0X560H2CG | X560 Cyan High Yield Print Cartridge             |
| 0X560A2CG | X560 Cyan Print Cartridge                        |
| 0X560H2MG | X560 Magenta High Yield Print Cartridge          |
| 0X560A2MG | X560 Magenta Print Cartridge                     |
| 0X560H2YG | X560 Yellow High Yield Print Cartridge           |
| 0X560A2YG | X560 Yellow Print Cartridge                      |
| Part #    | Paper & Transparencies                           |
| 0012A8241 | Professional Color Laser Transparencies, A4 (50) |
| 0012A5951 | Glossy Laser Paper, A4 (200)                     |
| Part #    | Paper Handling                                   |
| 0014A1120 | X560 550-Sheet Drawer Stand                      |
| Part #    | Flash, SDRAM Memory                              |
| 001025041 | 256MB DDR2-DRAM                                  |
| 001025042 | 512MB DDR2-DRAM                                  |
| 001025043 | 1024MB DDR2-DRAM                                 |
| Part #    | Connectivity                                     |
| 0014A1122 | X560 Multiprotocol Card                          |
| 001021294 | USB (2 Meter) Cable                              |
| 0014T0155 | Lexmark N4050e 802.11g Wireless Print Server     |
| 001021231 | Parallel (10') Cable                             |
| Part #    | Extended Warranties                              |
| 002349754 | 1 Year OnSite Repair Extended Warranty           |
| 002349755 | 2 Year OnSite Repair Extended Warranty           |
| 002349758 | 1 Year Renewal OnSite Repair Extended Warranty   |

