


Lexmark X650 Series



Lexmark X651de Lexmark X652de Lexmark X654de Lexmark X656de



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

<?>



<?>

<?>

- <?>
- <?>
- <?>
- <?>
- <?>

<?>

<?>

- <?>
- <?>
- <?>
- <?>



<?>

<?>

- <?>
- <?>
- <?>
- <?>

<?>

<?>

- <?>
- <?>
- <?>
- <?>



Lexmark X650 Series

Explore the features that keep you moving



Color scanning

Scan up to 75 pages at a time with the automatic document feeder



Two-sided savings

Built-in duplex printing saves you paper and money



Now showing on the big screen

All the functions you need are just a touch away



Direct USB

Front USB port for walk-up printing and scanning to memory device



High-yield and extra-high-yield cartridges

Low cost per page, fewer interventions, less impact on the environment



Paper possibilities

Expandable drawers let you load up to 3,200 sheets

Loads of benefits packed into one device!

What can device consolidation do for your business?

If you're still struggling between multiple devices across your office – printers, scanners, copiers and fax machines – then your true productivity potential is still far out of reach. But with Lexmark, there's an easy fix!

Solidly robust and competitively fast, Lexmark's industry-leading MFPs allow you to unite all your critical document functions into one high-performance device.

And the benefits go far!

You'll optimize office space and save money on hardware, consumables, service contracts and even electricity.

<?>

<?>



<?>
<?>



<?>
<?>

<?>
<?>

<?>
<?>

<?>
<?>

<?>
<?>

<?>
<?>

Lexmark X650 Series



Get exactly the performance you need



Lexmark X651de

- Up to 43 ppm, as fast as 8 seconds to first page
- Includes print, copy and scan functions
- Customisable 7" colour touch screen
- Recommended monthly volume: 3,000 to 20,000 pages
- 650-sheet standard input, 550-sheet output capacity
- Ships with 7,000-page Return Program Print Cartridge
- Lexmark High Yield Print Cartridges available (25,000 pages)



Lexmark X652de

- Same as X651de but also includes:
- High-speed faxing



Lexmark X654de

- Up to 53 ppm, as fast as 9.5 seconds to first page
- Automatic document feeder holds up to 75 sheets and scans both sides of your document in one pass
- Extra-large 9" colour touch screen
- Recommended monthly volume: 5,000 to 30,000 pages
- Ships with an 18,000-page Return Program Print Cartridge
- Lexmark Extra High Yield Print Cartridges available (36,000 pages)



Lexmark X656dte

- Same as X654de but also includes:
- 80GB hard disk for expanded functionality
 - Added 550-sheet drawer for 1,200-sheet total input capacity

Not all products are available in all countries

Product specifications

Lexmark X650 Series


	Lexmark X652de	Lexmark X654de	Lexmark X656dte
Printing			
Print Technology	Monochrome Laser		
Print Speed (A4, Black): Up to	43 ppm	53 ppm	53 ppm
Time to First Page (Black)	As fast as 8.0 seconds	As fast as 9.5 seconds	As fast as 9.5 seconds
Print Resolution, Black	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi		
Memory, Standard	256 MB		
Memory, Maximum	1280 MB		
Acoustics/Noise level (Operating mode)	54 dBA	56 dBA	56 dBA
Acoustics/Noise level (Idle mode)	29 dBA		
Maximum Monthly Duty Cycle: Up to	200000 pages per month	275000 pages per month	275000 pages per month
Recommended Monthly Page Volume	3000 - 20000 pages	5000 - 30000 pages	5000 - 30000 pages
Supplies			
Supplies Yield (*Average standard page yield value declared in accordance with ISO/IEC 19752.)	25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge	25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge, 36,000*-page Extra High Yield Print Cartridge	25,000*-page High Yield Print Cartridge, 7,000*-page Print Cartridge, 36,000*-page Extra High Yield Print Cartridge
Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	18,000*-page Starter Return Program Print Cartridge	18,000*-page Starter Return Program Print Cartridge
Copying			
Copy Speed (A4, Black): Up to	43 cpm	53 cpm	53 cpm
Copy Speed (Letter, Black): Up to	45 cpm	55 cpm	55 cpm
Scanning			
Scanning Resolution	600 X 600 dpi (mono)		
Reduce / Enlarge Range	25 - 400 %		
Faxing			
Modem Speed	33.6 Kbps		
Paper Handling			
Paper Handling Standard	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Bin	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Bin	Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sheet Input Tray, 550-Sheet Output Bin
Paper Handling Optional	400-Sheet Universally Adjustable Tray with Drawer, 550-Sheet Drawer, 250-Sheet Drawer, Optional furniture required., 2,000-Sheet High-capacity Feeder		
Paper Input Capacity, Standard: Up to	650 pages 75 gsm bond	650 pages 75 gsm bond	1200 pages 75 gsm bond
Paper Input Capacity, Maximum: Up to	3200 pages 75 gsm bond		
Paper Output Capacity, Standard: Up to	550 pages 75 gsm bond		
Paper Output Capacity, Maximum: Up to	550 pages 75 gsm bond		
ADF Paper Input Capacity : Up to	75 pages 75 gsm bond		
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock & Label Guide		
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, A6		
Compatibility			
Network Protocol Support	TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP		
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, PPDS, PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper Specification)		
Connectivity (standard)	Fast Ethernet, One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), USB port (Type A) compatible with USB 2.0 Specification, Front USB port Compatible with USB 2.0 Specification (Type A)		
Microsoft Windows Operating Systems Supported	2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services		
Apple Macintosh Operating Systems Supported	Mac OS X, Mac OS 9.2		
Other Operating Systems Supported	www.lexmark.com		
General			
Function	Color Scanning, Copying, Faxing, Network Scanning, Printing		
Product Guarantee	1-Year Onsite Service, Next Business Day		
Product Certifications	www.lexmark.com		
Size (mm - H x W x D)	755 x 548 x 611 mm	755 x 548 x 611 mm	885 x 548 x 611 mm
Weight (kg)	45.4 kg		
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 3048 Meters (10,000 Feet)		

Maximum Monthly Duty Cycle
«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Recommended Monthly Page Volume
«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Trademarks
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X652de




Part #	Model
0016M1590	Lexmark X652de
Part #	Laser Toner/Print Cartridge
0X651H11E	X651, X652, x654, X656, X658 High Yield Return
0X651A11E	X651, X652, X654, X656, X658 Return Programme
0X651H04E	X651, X652, X654, X656, X658 High Yield Return
0X651H21E	X651, X652, x654, X656, X658 High Yield Print
0X651A21E	X651, X652, X654, X656, X658 Print Cartridge (7K)
Part #	Paper & Transparencies
0012A5010	Laser Printers - A4 Transparency
Part #	Paper Handling
0030G0800	250-Sheet Drawer
0030G0802	550-Sheet Drawer
0030G0854	5 inch (12.7 cm) Spacer
0030G0804	2000-Sheet High Capacity Feeder
0030G0871	200-Sheet Universally Adjustable Tray with Drawer
0030G0860	400-Sheet Universally Adjustable Tray with Drawer
0030G0849	T65x, X651, X652, X654, X656 550-Sheet Lockable
0030G0836	200-Sheet Lockable Universally Adjustable Tray with
0030G0859	400-Sheet Lockable Universally Adjustable Tray with
Part #	Furniture
0016M1216	MFP Caster Base (X651, X652, X654, X656)
Part #	Memory Options
001025041	256MB DDR2-DRAM
001025042	512MB DDR2-DRAM
001025043	1024MB DDR2-DRAM
0014F0245	256MB Flash Card
0014F0102	Hard Disk (80+GB)
Part #	Application Solutions
0030G0829	Lexmark PrintCrypton Card
0016M1254	X65x Card for IPDS and SCS/TNe
0016M1253	X65x Forms and Bar Code Card
0014T0370	Common Access Card (CAC) Reader (1)
0014T0380	Common Access Card (CAC) Reader (25)
Part #	Connectivity
001021294	USB (2 Meter) Cable
001021231	Parallel (10') Cable
0014F0037	MarkNet N8120 Gigabit Ethernet Print Server

0014F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL
0014F0045	MarkNet N8150 802.11b/g/n Wireless Print Server
0014T0155	Lexmark N4050e 802.11g Wireless Print Server
0014T0220	MarkNet N7020e Gigabit Ethernet Print Server
0014F0000	Parallel 1284-B Interface Card
0014F0100	RS-232C Serial Interface Card
Part #	Extended Warranties
002350539	X651, X652 2-Years Total Onsite Service, Next
002350540	X651, X652 3-Years Total Onsite Service, Next
002350541	X651, X652 4-Years Total Onsite Service, Next
002350542	X651, X652 5-Years Total Onsite Service, Next
002350543	X651, X652 1-Year Onsite Service Renewal, Next
Part #	User Replaceable Parts
0040X4765	T65x, X654e, X656e, X658e Fuser Maintenance Kit
0040X2665	Oil Fuser Wiper
0040X2666	Wax Fuser Wiper
0040X4540	ADF Pick Roll Assembly
0040X3444	ADF Platen Cushion
0040X4605	ADF Separator Roll and Guide
0040X5852	Dual Charge Roll Assembly
0040X1886	Transfer Roll Assembly
0040X4308	Pick Roll Assembly
0040X4769	X65x ADF Maintenance Kit
Part #	Installation Service
002350555	X651e, X652e Installation

Other model available
Lexmark X651de

In the box
Lexmark X652de multifunction laser printer, Up to 7,000 pages* Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty / guarantee, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X654de




Part #	Model
0016M1591	Lexmark X654de
Part #	Laser Toner/Print Cartridge
0X654X11E	X654, X656, X658 Extra High Yield Return Programme
0X651H11E	X651, X652, x654, X656, X658 High Yield Return
0X651A11E	X651, X652, X654, X656, X658 Return Programme
0X654X04E	X654, X656, X658 Extra High Yield Return Programme
0X651H04E	X651, X652, X654, X656, X658 High Yield Return
0X654X21E	X654, X656, X658 Extra High Yield Print Cartridge
0X651H21E	X651, X652, x654, X656, X658 High Yield Print
0X651A21E	X651, X652, X654, X656, X658 Print Cartridge (7K)
Part #	Paper & Transparencies
0012A5010	Laser Printers - A4 Transparency
Part #	Paper Handling
0030G0800	250-Sheet Drawer
0030G0802	550-Sheet Drawer
0030G0854	5 inch (12.7 cm) Spacer
0030G0804	2000-Sheet High Capacity Feeder
0030G0871	200-Sheet Universally Adjustable Tray with Drawer
0030G0860	400-Sheet Universally Adjustable Tray with Drawer
0030G0849	T65x, X651, X652, X654, X656 550-Sheet Lockable
0030G0836	200-Sheet Lockable Universally Adjustable Tray with
0030G0859	400-Sheet Lockable Universally Adjustable Tray with
Part #	Furniture
0016M1216	MFP Caster Base (X651, X652, X654, X656)
Part #	Memory Options
001025041	256MB DDR2-DRAM
001025042	512MB DDR2-DRAM
001025043	1024MB DDR2-DRAM
0014F0245	256MB Flash Card
0014F0102	Hard Disk (80+GB)
Part #	Application Solutions
0030G0829	Lexmark PrintCrypton Card
0016M1254	X65x Card for IPDS and SCS/TNe
0016M1253	X65x Forms and Bar Code Card
0014T0370	Common Access Card (CAC) Reader (1)
0014T0380	Common Access Card (CAC) Reader (25)
Part #	Connectivity
001021294	USB (2 Meter) Cable

001021231	Parallel (10') Cable
0014F0037	MarkNet N8120 Gigabit Ethernet Print Server
0014F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL
0014F0045	MarkNet N8150 802.11b/g/n Wireless Print Server
0014T0155	Lexmark N4050e 802.11g Wireless Print Server
0014T0220	MarkNet N7020e Gigabit Ethernet Print Server
0014F0000	Parallel 1284-B Interface Card
0014F0100	RS-232C Serial Interface Card
Part #	Extended Warranties
002350557	X654, X656 2-Years Total Onsite Service, Next
002350558	X654, X656 3-Years Total Onsite Service, Next
002350559	X654, X656 4-Years Total Onsite Service, Next
002350560	X654, X656 5-Years Total Onsite Service, Next
002350561	X654, X656 1-Year Onsite Service Renewal, Next
Part #	User Replaceable Parts
0040X4765	T65x, X654e, X656e, X658e Fuser Maintenance Kit
0040X2665	Oil Fuser Wiper
0040X2666	Wax Fuser Wiper
0040X4540	ADF Pick Roll Assembly
0040X3444	ADF Platen Cushion
0040X4605	ADF Separator Roll and Guide
0040X5852	Dual Charge Roll Assembly
0040X1886	Transfer Roll Assembly
0040X4308	Pick Roll Assembly
0040X4769	X65x ADF Maintenance Kit
Part #	Installation Service
002350573	X654e, X656e Installation

In the box
Lexmark X654de multifunction laser printer, Up to 18,000 pages* Starter Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty / guarantee, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X656dte



Part #	Model
0016M1592	Lexmark X656dte
Part #	Laser Toner/Print Cartridge
0X654X11E	X654, X656, X658 Extra High Yield Return Programme
0X651H11E	X651, X652, X654, X656, X658 High Yield Return
0X651A11E	X651, X652, X654, X656, X658 Return Programme
0X654X04E	X654, X656, X658 Extra High Yield Return Programme
0X651H04E	X651, X652, X654, X656, X658 High Yield Return
0X654X21E	X654, X656, X658 Extra High Yield Print Cartridge
0X651H21E	X651, X652, X654, X656, X658 High Yield Print
0X651A21E	X651, X652, X654, X656, X658 Print Cartridge (7K)
Part #	Paper & Transparencies
0012A5010	Laser Printers - A4 Transparency
Part #	Paper Handling
0030G0802	550-Sheet Drawer
0030G0800	250-Sheet Drawer
0030G0854	5 inch (12.7 cm) Spacer
0030G0804	2000-Sheet High Capacity Feeder
0030G0871	200-Sheet Universally Adjustable Tray with Drawer
0030G0860	400-Sheet Universally Adjustable Tray with Drawer
0030G0849	T65x, X651, X652, X654, X656 550-Sheet Lockable
0030G0836	200-Sheet Lockable Universally Adjustable Tray with
0030G0859	400-Sheet Lockable Universally Adjustable Tray with
Part #	Furniture
0016M1216	MFP Caster Base (X651, X652, X654, X656)
Part #	Memory Options
001025041	256MB DDR2-DRAM
001025042	512MB DDR2-DRAM
001025043	1024MB DDR2-DRAM
0014F0245	256MB Flash Card
Part #	Application Solutions
0030G0829	Lexmark PrintCryption Card
0016M1254	X65x Card for IPDS and SCS/TNe
0016M1253	X65x Forms and Bar Code Card
0014T0370	Common Access Card (CAC) Reader (1)
0014T0380	Common Access Card (CAC) Reader (25)
Part #	Connectivity
001021294	USB (2 Meter) Cable

001021231	Parallel (10') Cable
0014F0037	MarkNet N8120 Gigabit Ethernet Print Server
0014F0042	MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL
0014F0045	MarkNet N8150 802.11b/g/n Wireless Print Server
0014T0155	Lexmark N4050e 802.11g Wireless Print Server
0014T0220	MarkNet N7020e Gigabit Ethernet Print Server
0014F0000	Parallel 1284-B Interface Card
0014F0100	RS-232C Serial Interface Card
Part #	Extended Warranties
002350557	X654, X656 2-Years Total Onsite Service, Next
002350558	X654, X656 3-Years Total Onsite Service, Next
002350559	X654, X656 4-Years Total Onsite Service, Next
002350560	X654, X656 5-Years Total Onsite Service, Next
002350561	X654, X656 1-Year Onsite Service Renewal, Next
Part #	User Replaceable Parts
0040X4765	T65x, X654e, X656e, X658e Fuser Maintenance Kit
0040X2665	Oil Fuser Wiper
0040X2666	Wax Fuser Wiper
0040X4540	ADF Pick Roll Assembly
0040X3444	ADF Platen Cushion
0040X4605	ADF Separator Roll and Guide
0040X5852	Dual Charge Roll Assembly
0040X1886	Transfer Roll Assembly
0040X4308	Pick Roll Assembly
0040X4769	X65x ADF Maintenance Kit
Part #	Installation Service
002350573	X654e, X656e Installation

In the box
Lexmark X656dte multifunction laser printer, Includes a 550-Sheet Drawer, Up to 18,000 pages* Starter Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty / guarantee, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Copyright: Bill Fahber - January 2009. Cover image: BHL Production - Specifications are subject to change without notice.



Environmental commitment
Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle

