



Full-featured



Easy-to-use color touch screen allows access to all print, copy, fax and scan-to-email functions

Up to 20 ppm monochrome, 20 ppm color with 50-page automatic document feeder

Standard duplex input and output with optional finishing capability

Interactive prompting at touch screen for distributed, real-time indexing, routing and archival

Lexmark



Lexmark X752e



Lexmark X4500 MFP Option

X752e

Advanced functionality

Color copy, print, scan and fax

Customizable color touch screen

Save money

Consolidate multiple functions into one device

Black cost per page equal to most monochrome printers

Simplify business processes

Customized document workflow with Lexmark Document Solutions Suite

Distributed EDMS document capture

Scan to email

Versatile color applications

Print on demand for time-sensitive point-of-sale material

Brilliant color graphics

The full-featured multifunction printer that allows you to print, move and manage your documents more efficiently.

	Lexmark X752e
Part Number	Canada 16C0467
Technology	Color tandem laser
Speed	Up to 20 ppm black and color
Resolution	2400 image quality, 1200 x 1200 dpi
Processor	600 MHz
Memory (std./max.)	128MB/512MB
Connectivity	Standard: 10/100BaseTX Ethernet and USB, one internal solutions port Optional: Token ring ¹
Paper Capacity Standard (in/out) Maximum (in/out)	600/250 3,100/3,900
Paper Options	Standard: 100-sheet manual input feeder, 500-sheet input tray, second 500-sheet input tray; 250-sheet output bin Optional: 500-sheet input drawer, 2,000-sheet input drawer; 5-bin output mailbox, output expander, 3,000-sheet high-capacity output finisher with staple, hole punch and job offset stack
Paper Sources Standard (in/out) Maximum (in/out)	3/1 5/7
Digital Copying	Speed: up to 20 cpm ² Copy select: 1-999 Reduce/enlarge: 25% to 400% Paper Saver: 2-up or 4-up Date/time stamp: Adds date and time to top of each page Message overlay: Adds watermark to each page
Fax Capabilities	Maximum Fax Resolution: 400 x 400 dpi Modem Speed: 33.6 Kbps Receive Fax Receive to Memory Send Hard Copy Fax: Platen or ADF Send Soft Copy Fax Send to Fax Server Memory Send Group Fax
Scanning Capabilities	Scan File Formats: JPEG, Multipage TIFF, PDF, PostScript Type: Single-pass duplex, black and color Scan to FTP Server Scan to E-mail Scan to Workstation Max. Optical Resolution: 300 x 300 dpi
Scanner Function Specifications	Scanner type: Single pass duplex color Scanning speed: 23/14 ppm mono/color Maximum optical resolution: 300 x 300 dpi Document feeding mode: Flatbed and ADF built-in ADF capacity: 50 sheets Original document size: - ADF minimum 4.5 x 5.5 (in), 114 x 140 (mm) - ADF maximum 8.5 x 14 (in), 216 x 355 (mm) - Flatbed maximum 8.5 x 11 (in), 210 x 297 (mm) Original document thickness: up to 32 lb (120 g/m ²)
Size/Weight	C752dtn: 23.8" x 18.5" x 28.9" (W x D x H) (604.5 mm x 469.9 mm x 734.1 mm) 132 lb (60 kg) Scanner: 33" x 21.5" x 13" (W x D x H) (838 mm x 564 mm x 330 mm) 26 lb (11.8 kg) Bundle: 57" x 26" x 46" (W x D x H) (1448 mm x 660 mm x 1168 mm) 396 lb (180 kg)
Printer Duty Cycle	Up to 85,000 pages per month
Warranty	1-year LexOnSite SM Repair
Optional Software	Lexmark Document Solutions Suite

¹ Requires Ringdale Token-Ring to Ethernet bridge for full functionality in Token-Ring environment

² "Scan once, print many" operation

Order Information Chart

Part No.	UPC	Description
Canada		
16C0467	7-34646-38969-3	Lexmark X752e
SUPPLIES		
Print Cartridges¹		
15G031C	7-34646-11821-7	6,000-page Cyan Print Cartridge
15G031M	7-34646-11822-4	6,000-page Magenta Print Cartridge
15G031Y	7-34646-11823-1	6,000-page Yellow Print Cartridge
15G031K	7-34646-11820-0	6,000-page Black Print Cartridge
15G041C	7-34646-11829-3	6,000-page Cyan Return Program Print Cartridge
15G041M	7-34646-11830-9	6,000-page Magenta Return Program Print Cartridge
15G041Y	7-34646-11831-6	6,000-page Yellow Return Program Print Cartridge
15G041K	7-34646-11826-6	6,000-page Black Return Program Print Cartridge
15G032C	7-34646-11825-5	15,000-page Cyan High Yield Print Cartridge
15G032M	7-34646-11826-2	15,000-page Magenta High Yield Print Cartridge
15G032Y	7-34646-11827-9	15,000-page Yellow High Yield Print Cartridge
15G032K	7-34646-11824-8	15,000-page Black High Yield Print Cartridge
15G042C	7-34646-11833-0	15,000-page Cyan High Yield Return Program Print Cartridge
15G042M	7-34646-11834-7	15,000-page Magenta High Yield Return Program Print Cartridge
15G042Y	7-34646-11835-4	15,000-page Yellow High Yield Return Program Print Cartridge
15G042K	7-34646-11832-3	15,000-page Black High Yield Return Program Print Cartridge
Other Supplies		
10B3100	7-34646-24521-0	Waste Toner Container
11K3188	7-34646-20993-9	Staple Cartridge (3-pack)
Routine Maintenance		
56P1544	N/A	ITU Maintenance Kit with Transfer Roller
12G6496	N/A	Fuser Maintenance Kit (LV-US)
Media		
12A5940	7-34646-24545-6	Transparencies (Letter)
12A5950	7-34646-24547-0	Lexmark Soft Gloss Paper (Letter)



Touch screen keyboard for network login and directory lookup



Advanced copy options



Fax using numbers or shortcuts

Part No.	UPC	Description
OPTIONS AND FEATURES		
Paper Handling Options		
10B2300	7-34646-24500-5	500-sheet Drawer
10B3601	7-34646-24501-2	500-sheet Tray
10B2400	7-34646-24503-6	Duplex Unit
10B3600	7-34646-24502-9	2,000-sheet Drawer ²
10B3050	7-34646-24504-3	650-sheet Output Expander
10B3000	7-34646-24505-0	5-Bin Mailbox
10B3603	7-34646-24507-4	Finisher T
10B3602	7-34646-24506-7	Finisher S
15G3100	7-34646-12066-1	Envelope Drawer
Memory Options		
11N0023	7-34646-36784-4	64MB SDRAM
11N0025	7-34646-36785-1	128MB SDRAM
11N0036	7-34646-36851-3	256MB SDRAM
12N0847	7-34646-12164-4	512MB SDRAM
11K4616	7-34646-12127-9	16MB Flash Card
11K4632	7-34646-12128-6	32MB Flash Card
12N1262	7-34646-12347-1	20GB Hard Disk with Adapter (Formatted)
Font Options		
10G0745	7-34646-12143-9	Traditional Chinese Font DIMM
10G0744	7-34646-12142-2	Simplified Chinese Font DIMM
10G0746	7-34646-12144-6	Japanese Font DIMM
10G0743	7-34646-12383-9	Korean Font DIMM
APPLICATION SOLUTIONS		
Optra Forms Solutions		
11N0040	7-34646-20731-7	Optra Forms™ Software
11N0052	7-34646-20732-4	Optra Forms Director
11N0056	7-34646-30810-6	Optra Forms Manager
10G0747	7-34646-12145-3	Optra Forms 16MB Flash Card
10G0748	7-34646-12146-0	Optra Forms 32MB Flash Card
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
12P0086	7-34646-36850-6	Optra Forms 5 + GB Hard Disk with Adapter ³
Other Options		
15G3200	7-34646-12074-6	ImageQuick Card
15G3201	7-34646-12075-3	Bar Code Card
15G3202	7-34646-12076-0	Card for IPDS and SCS/TNe
15G3204	7-34646-38486-5	PrintCryption™ Card
15G3205	7-34646-02872-1	Card for PRESCRIBE ⁴
MULTIFUNCTION SOLUTIONS		
Furniture		
10B1755	7-34646-30801-4	C750/C752 Scanner Shelf
10B1708	7-34646-30802-1	C750/C752 Printer Base
10B0878	7-34646-37302-9	C750/C752 Operator Panel Cover
Multifunction Options		
16C0470	7-34646-38745-3	Lexmark X752e MFP
16C0100	7-34646-37085-1	Lexmark X4500 MFP Option

¹ Yield is based on approximately 5% print coverage

² Ships standard on C752fn model

³ Requires one internal solutions port

⁴ Customer testing required to ensure compatibility



Lexmark, Lexmark with diamond design, ImageQuick and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. We're Always Working and PrintCryption are trademarks of Lexmark International, Inc. LexOnSite is a service mark of Lexmark International, Inc. Other trademarks are the property of their respective owners. © Copyright 2003. Lexmark International, Inc. All rights reserved.



We're Always Working.™