

Lexmark C770n



- Reliable workgroup color laser printer
- 25 ppm monochrome and color
- Control the cost of color and usage with Lexmark Color Care Technology
- Loaded with ease-of-use features

LEXMARKTM

Lexmark C770n



- Advanced user interface for easy operation
- Standard network connection eliminates the need to purchase a separate network option to share the printer
- 100,000-page duty cycle for high reliability
- USB Direct Interface for quick, walk-up printing from USB flash memory devices

Lexmark C770n, C770dn, C770dtn


Product Specifications

Part Number	United States: 22L0050 (C770n), 22L0150 (C770dn), 22L0200 (C770dtn) Canada: 22L0056 (C770n), 22L0156 (C770dn), 22L0206 (C770dtn)
Product Class	Medium workgroup color laser printer; Calibrated for PANTONE™ solid color simulation
Speed	Black or Color: up to 25 ppm
Resolution	1200 x 1200 dpi, 4800 Color Quality
Time to First Page	Black: Less than 13 seconds; Color: Less than 15 seconds
Processor	800 MHz
Memory (std./max.)	256MB/768MB
Connectivity	
Standard	Ethernet, USB, 1 ISP
Optional	Parallel, Serial, Wireless, Gigabit Ethernet, Fiber
Network Mgmt. Utility	MarkVision Professional
Operating Systems	Windows, Linux, UNIX, Mac, NetWare and OS/400 For a complete list, visit www.lexmark.com .
Printer Languages	PostScript 3 and PCL 6 emulations and direct PDF v1.5 printing
Fonts	PCL: 89 scalable, 2 bitmapped; PostScript: 158 scalable
Size (WxDxH)	C770n: 23.8 in. x 18.5 in. x 20.8 in. (604.5 mm x 469.9 mm x 528.3 mm) C770dn: 23.8 in. x 18.5 in. x 24.3 in. (604.5 mm x 469.9 mm x 617.2 mm) C770dtn: 23.8 in. x 18.5 in. x 28.9 in. (604.5 mm x 469.9 mm x 734.1 mm)
Weight	C770n: 105 lb. (47.7 kg) C770dn: 118.5 lb. (53.8 kg) C770dtn: 132 lb. (60 kg)
Acoustics	Printing: 52 dBA; Idle: 30 dBA
Duty Cycle	Up to 100,000 pages per month, one-time monthly usage
Warranty	1-year Onsite Repair

Media Specifications

Paper Capacity (sheets)	C770n, C770dn	C770dtn
Standard Input	600	1,100
Maximum Input	1,100	1,100
Output	250	250
Paper Sources	C770n, C770dn	C770dtn
Standard Input	2	3
Maximum Input	3	3
Output	1	1
Media Types	Plain paper, card stock, transparencies, envelopes, vinyl labels, ¹ paper labels, polyester labels, dual-web labels, integrated labels	
Media Sizes	Letter, A4, A5, JIS B5, statement, folio, legal, executive, universal (3 x 5 in. to 9.01 x 14 in.), envelopes (7 ³ / ₄ , 9, 10, DL, C5, B5), banner (8.27 in. x 48 in.)	
Media Weights	Plain paper: 16-47 lb. (60-176 g/m ²); Card stock: Up to 110 lb. Index (up to 199 g/m ²); Labels: 48-92 lb. (180-300 g/m ²)	

In the Box



Lexmark C770n

- Lexmark C770n Printer
- 6,000-page Cyan, Magenta, Yellow and Black Print Cartridges
- Power Cord
- Software and Documentation CD

Lexmark C770dn

- Lexmark C770n PLUS
- Automatic two-sided printing

Lexmark C770dtn


- Lexmark C770dn PLUS
- Additional 500-sheet drawer

Lexmark C770n

Supplies & Accessories

Supplies ²	10,000-page High Yield Return Program Black Print Cartridge	C7700KH
	10,000-page High Yield Return Program Cyan Print Cartridge	C7700CH
	10,000-page High Yield Return Program Magenta Print Cartridge	C7700MH
	10,000-page High Yield Return Program Yellow Print Cartridge	C7700YH
	10,000-page High Yield Black Print Cartridge	C7702KH
	10,000-page High Yield Cyan Print Cartridge	C7702CH
	10,000-page High Yield Magenta Print Cartridge	C7702MH
	10,000-page High Yield Yellow Print Cartridge	C7702YH
	6,000-page Return Program Black Print Cartridge	C7700KS
	6,000-page Return Program Cyan Print Cartridge	C7700CS
	6,000-page Return Program Magenta Print Cartridge	C7700MS
	6,000-page Return Program Yellow Print Cartridge	C7700YS
	6,000-page Return Program Black Print Cartridge	C7702KS
	6,000-page Return Program Cyan Print Cartridge	C7702CS
	6,000-page Return Program Magenta Print Cartridge	C7702MS
	6,000-page Return Program Yellow Print Cartridge	C7702YS
	Toner Waste Container	10B3100
	Routine Maintenance Items:	
	ITU Maintenance Kit with Transfer Roll	40X1680
	115V Fuser Maintenance Kit	40X1859
Memory/Flash Options	128MB SDRAM	13N1523
	256MB SDRAM	13N1524
	512MB SDRAM	13N1526
	32MB Flash Card ³	1021208
	64MB Flash Card ³	1021209
	40+GB Hard Disk with Adapter	13N1530

Paper Handling Options⁴



Options not pictured:
500-sheet Tray (20B2373)
Printer Base (16N1708)

Additional Information

¹ Occasional vinyl usage. Optional web oiler required for heavy usage

² Yield is based on approximately 5% per color

³ One flash memory slot and one application slot available

⁴ Displays all available options for base model

Lexmark C770n

Additional Accessories

Solutions	Traditional Chinese Font Card	1021242
	Simplified Chinese Font Card	1021241
	Japanese Font Card	1021243
	Korean Font Card	1021240
	Bar Code Card	20B3201
	Card for IPDS and SCS/TNe	20B3202
	Forms Card	20B3206
	PrintCryption Card	20B3204
Connectivity	Internal Print Servers	
	MarkNet N8020 Gigabit Ethernet Print Server	14S0200
	MarkNet N8030 Fiber Ethernet Print Server	14S0220
	MarkNet N8050 802.11g Wireless Print Server	14S0165
	External Print Servers	
	MarkNet N7000e Fast Ethernet - 1 port - USB	14T0230
	MarkNet N7002e Fast Ethernet - 1 port - parallel	14T0240
	MarkNet N7020e Gigabit Ethernet - 4 port - USB	14T0220
	Wireless	
	802.11g Wireless Print Adapter	1010042
	N4050e 802.11g Wireless Print Server (USB)	14T0145
	Local Connections	
Cables	Parallel 1284-B Interface Card	1021091
	Serial RS232C Serial Interface Card	1021092
Cables	USB Cable (6 feet)	1021294
	Parallel Cable (10 feet)	1021231
Media		
	Lexmark Professional Color Laser Transparencies (Letter)	12A8240
	Lexmark Soft Gloss Paper (Letter)	12A5950

Lexmark, Lexmark with diamond design and MarkNet are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett-Packard Company. All other trademarks are the property of their respective owners.

© 2006 Lexmark International, Inc. All rights reserved.

71K1200

