

Lexmark T634



- Versatile output options maximize productivity
- Variety of network choices including wireless
- Direct PDF printing and additional font support

LEXMARK™

Lexmark T634

- Dependable, high-performance large workgroup laser printer
- Multifunction options add scan, copy, e-mail and fax
- Broadest range of paper-handling options in its class
- 32,000-page print cartridge minimizes interventions



Lexmark T634, T634n, T634tn, T634dtn, T634dtnf

Product Specifications

Part Number	US/Canada: 10G0500 (T634), 10G0600 (T634n), 10G1600 (T634tn), 10G1630 (T634dtn), 10G1660 (T634dtnf)
Product Class	Large workgroup laser printer
Speed	Up to 45 ppm
Resolution	1200 x 1200 dpi, 1200 image quality, 600 x 600 dpi, 300 x 300 dpi
Time to First Page	< 8.5 seconds
Processor	500 MHz
Memory (std./max.)	64MB/320MB (T634); 80MB/336MB (T634n, T634tn, T634dtn, T634dtnf)
Connectivity	
Standard	T634: Parallel, USB, 2 internal solutions ports (ISP) T634n, T634tn, T634dtn, T634dtnf: Ethernet, USB, 2 ISPs
Optional	T634: Token-Ring, Ethernet, Serial, Coax/Twinax, Wireless T634n, T634tn, T634dtn, T634dtnf: Token-Ring, Serial, Parallel, Coax/Twinax, Wireless
Network Mgmt. Utility	MarkVision Professional
Operating Systems	Windows, Linux, UNIX, Mac, NetWare and OS/400 For a complete list, visit www.lexmark.com.
Printer Languages	PostScript 3 and PCL 6 emulations, PPDS Migration Tool and direct PDF v1.2/v1.3 printing
Fonts	PCL: 89 scalable, 2 bitmapped, Includes: OCR-A, OCR-B, Code 3 of 9 bar codes; PostScript: 158 scalable; PPDS: 39 scalable, 5 bitmapped
Multifunction Options	Lexmark 3100 MFP option, Lexmark 3200 MFP option or Lexmark X4500 MFP option
Size (WxDxH)	T634, T634n: 17.2 in. x 20.2 in. x 16 in. (436 mm x 513 mm x 406 mm) T634tn: 17.2 in. x 20.5 in. x 21 in. (436 mm x 521 mm x 535 mm) T634dtn: 17.2 in. x 27.8 in. x 23.1 in. (436 mm x 655 mm x 588 mm) T634dtnf: 18.6 in. x 27.8 in. x 32.7 in. (473 mm x 655 mm x 830 mm)
Weight	T634, T634n: 41.5 lb. (19 kg) T634tn: 48.5 lb. (22 kg) T634dtn: 59.8 lb. (27 kg) T634dtnf: 71.3 lb. (32 kg)
Acoustics	55 dBA printing; 34 dBA idle
Duty Cycle	Up to 225,000 pages per month
Warranty	1-year LexExpress SM

Media Specifications

Paper Capacity (sheets)	T634, T634n	T634tn, T634dtn	T634dtnf
Standard Input	600	1,100	1,100
Maximum Input	4,100	4,100	4,100
Standard Output	500	500	1,250
Maximum Output	3,000	3,000	3,000
Paper Sources	T634, T634n	T634tn, T634dtn	T634dtnf
Standard Input	2	3	3
Maximum Input	7	7	7
Standard Output	1	1	2
Maximum Output	11	11	11
Media Types	Plain paper, bond, envelopes, card stock, transparencies, paper labels ² , dual-web labels ² , polyester labels ²		
Media Sizes	Letter, legal, A5, JIS B5, statement, executive, universal (2.75 x 5 in. to 8.5 x 14 in.), folio, and envelopes (7 ³ / ₄ , 9, 10, DL, C5, B5)		
Media Weights	Plain paper: 16 to 47 lb. (60 to 176 g/m ²); Card stock: up to 110 lb. Index (199 g/m ²)		

In the Box



Lexmark T634

- Lexmark T634 Printer
- 21,000-page Return Program Print Cartridge
- Power Cord
- Publications CD
- Drivers, MarkVision and Utilities CD

Lexmark T634n

- Lexmark T634
- EXCEPT**
- Additional 16MB memory (80MB total)
- Ethernet (instead of parallel)

Lexmark T634tn

- Lexmark T634n
- PLUS**
- Additional 500-sheet Drawer

Lexmark T634dtn

- Lexmark T634tn
- PLUS**
- Automatic two-sided printing

Lexmark T634dtnf


- Lexmark T634dtn
- PLUS**
- StapleSmart Finisher

Lexmark T634


Supplies & Accessories

Supplies¹	32,000-page Extra High Yield Return Program Print Cartridge	12A7465
	32,000-page Extra High Yield Print Cartridge	12A7365
	32,000-page Extra High Yield Return Program Print Cartridge for Labels ²	12A7469
	21,000-page High Yield Return Program Print Cartridge	12A7462
	21,000-page High Yield Print Cartridge	12A7362
	21,000-page High Yield Return Program Print Cartridge for Labels	12A7468
	5,000-page Return Program Print Cartridge	12A7460
	5,000-page Print Cartridge	12A7360
	300,000-page Maintenance Kit	56P1409
Memory/Flash Options	Staple Cartridges	11K3188
	8MB SDRAM	16H0055
	16MB SDRAM	16H0056
	32MB SDRAM	16H0057
	64MB SDRAM	16H0058
	128MB SDRAM	16H0059
	16MB Flash Card ³	11K4616
	32MB Flash Card ³	11K4632
	20+GB Hard Disk with Adapter	11K4603
Furniture	Low Profile Printer Stand	16C0379
	Printer Stand with Cabinet	16C0369
	Printer Stand	16C0389
	Scanner Stand with Cabinet	16C0399
	Scanner Shelf	10G1000
	Operator Panel Cover	10G1021
	Printer Base	10G0080


Paper Handling Options³



Envelope Feeder
(11K0720)




5-bin Mailbox (11K0724)



High Capacity Output Stacker (11K1440)



StapleSmart Finisher (11K2800)



Output Expander (11K0723)

Options not pictured:

- 250-sheet Tray (11K1059)
- 500-sheet Tray (11K1060)
- 250-sheet Universally Adjustable Drawer (11K1878)
- 250-sheet Universally Adjustable Tray (11K1574)
- 400-sheet Universally Adjustable Drawer (11K1942)
- 400-sheet Universally Adjustable Tray (11K1941)

Additional Information

¹ Yield is based on approximately 5% print coverage

² Printing label applications requires a special fuser cleaner included in label cartridges (12A7468 and 12A7469)

³ One flash memory slot and one application slot available

⁴ Displays all available options for **base** model

Lexmark T634

Additional Accessories

Paper Handling Options	250-sheet Drawer	11K0681
	500-sheet Drawer	11K0688
	2000-sheet Drawer	11K0718
	250-sheet Tray	11K1059
	500-sheet Tray	11K1060
	500-sheet Duplex Unit	10G0801
	Envelope Feeder	11K0720
	StapleSmart Finisher	11K2800
	High Capacity Output Stacker	11K1440
	Output Expander	11K0723
	5-Bin Mailbox	11K0724
Font Options	Korean Font Card	10G0743
	Simplified Chinese Font Card	10G0744
	Traditional Chinese Font Card	10G0745
	Japanese Font Card	10G0746
Optra Forms Solutions	Optra Forms Software	11N0040
	Optra Forms Director	11N0052
	Optra Forms Manager	11N0056
	Optra Forms 16MB Flash Card	10G0747
	Optra Forms 32MB Flash Card	10G0748
	Optra Forms 2-Key Security	43H5841
	Optra Forms 3-Key Security	43H5842
	Optra Forms 20+GB Hard Disk with Adapter	10G0749
Other Options	ImageQuick Card	10G0144
	Bar Code Card	10G0145
	Card for IPDS and SCS/TNe	10G0147
	PrintCryption Card ¹	10G0149
	Card for PRESCRIBE ²	10G1747
Adapters	Parallel 1284-B Interface Card	11K4601
	RS-232C Serial Interface Card	11K4602
	External Serial Adapter	1368705
	Coax/Twinax Adapter for SCS	11K4120
	802.11g Wireless Print Adapter ¹	1010042
Cables	10-Foot Parallel Printer Cable	1329605
	2-Meter USB Printer Cable	12A2405
	50-Foot Serial Printer Cable	1038693
Multifunction Options	Lexmark 3100 MFP Option	20R0020
	Lexmark 3200 MFP Option	20R0080
	Lexmark X4500 MFP Option	16C0100

¹ Requires network connectivity

² Customer testing required to ensure compatibility

Lexmark, Lexmark with diamond design and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. LexExpressSM is a service mark of Lexmark International, Inc. Mac OS and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PCL is a registered trademark of Hewlett-Packard Company. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners. © 2004. Lexmark International, Inc. All rights reserved.

71K6378



Printed on recycled paper.

