



KONICA MINOLTA

# bizhub 40P

- ✦ Black & white A4 printer
- ✦ Up to 43 pages per minute

## ✦ Functionality



Printing


- Black & white
- PCL/PS
- Local/network
- USB



Technology

EMPERON	SIMITRI® HD TONER	IWS	OPEN API	iOPTION	CSRC
✓	✗	✗	✗	✗	✗

Option diagram



Finishing options



Duplex

## Descriptions

<b>bizhub 40P</b>	Laser printer with 43 ppm monochrome; standard Emperon controller with PCL 6 and PostScript 3 support (XPS optional); paper capacity of 150 + 550 sheets standard and 2 x 550 sheets optional; output capacity of 500 sheets face-down and 70 sheets face-up standard; up to 384 MB of memory (128 standard) and optional 40 GB hard disc.
<b>Lower Paper Feeder</b>	A6-A4, 550 sheets, up to 216 gsm
<b>SCD-43 Simple Copy Desk</b>	Ensures ergonomic height and provides storage space for e.g. print media

<b>Duplex Unit</b>	A4 automatic duplex
<b>Offset Stacker</b>	500 sheet output, offset sorting
<b>Hard Disc Kit</b>	Optional 40 GB hard disc
<b>Flash Card Adaptor</b>	Required for storing of fonts/overlays, direct printing, collating, job accounting, user/department certification
<b>Extended Memory 128MB</b>	128 MB memory extension for faster processing, required for duplex
<b>Extended Memory 256MB</b>	256 MB memory extension for faster processing
<b>SX-600 Wireless LAN</b>	Wireless LAN to network connector
<b>EH-C591 Convenience Stapler</b>	Convenient stapling of up to 50 prints per set

## Technical specifications

### PRINTER SPECIFICATIONS

<b>Printing system</b>	Electrostatic laser print
<b>Print speed A4</b>	Up to 43 ppm
<b>1st print time</b>	9.5 seconds
<b>Warm-up time</b>	Approx. 20 sec.
<b>Print resolution</b>	1,200 x 1,200 dpi
<b>Controller CPU</b>	500 MHz
<b>Page description language</b>	PostScript 3 PCL 6 (XL3.0) PCL 5e/c XPS <sup>2</sup>
<b>Operating systems</b>	Windows® 2000, XP (32/64), Vista (32/64), 7 (32/64), Server 2000, Server 2003 (32/64), Server 2008 (32/64) Macintosh® OS X (10.2, 10.3, 10.4, 10.5, 10.6) Linux: Redhat v9.0, SUSE v8.2
<b>Interface</b>	10-Base-T/100-Base-T/ 1,000-Base-T Ethernet USB 2.0 Bidirectional IEEE 1284 parallel

### SYSTEM SPECIFICATIONS

<b>Memory</b>	Standard: 128 MB Max.: 384 MB
<b>Hard disc</b>	40 GB optional
<b>Paper size</b>	A6-A4
<b>Custom paper sizes</b>	76.2–215.9 mm x 127–355.6 mm up to 900 mm <sup>3</sup>
<b>Paper weight</b>	64–216 gsm
<b>Paper input capacity</b>	Standard: 700 sheets; Max.: 1,800 sheets
<b>Paper output capacity</b>	Max. 500 sheets face down and 70 sheet face-up standard; Max. 1,070 sheets with optional offset stacker
<b>Automatic duplexing (optional)</b>	A4 64–216 gsm 128 MB Extension Memory required
<b>Power consumption</b>	220-240 V / 50/60 Hz 812 Watt or less (average printing) 119 Watt or less (average standby) 1.3 KW or less (max.)
<b>System dimensions (W x D x H, mm)</b>	422 x 465 x 404
<b>System weight</b>	Approx. 25 kg

### SYSTEM FEATURES

<b>Print functions</b>	Direct print <sup>1</sup> of TIFF, JPEG, PDF USB direct printing <sup>1</sup> Job programming “Easy Set” – storable print settings Overlay, Watermark Toner save mode
<b>Security</b>	Secure Print – code protected <sup>2</sup> IP filtering Ipsec (IPv6) support IEEE802.1x
<b>Software</b>	PageScope NetCare PageScope Data Administrator Direct Print Utility PageScope Network Setup PageScope EMS plug-in PageScope Plug and Print PageScope NDPS Gateway



- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

<sup>1</sup> CF card enables storing of fonts/overlays, direct printing (PDF, TIFF and JPEG), collating, sorting, job accounting, user/department certification. More than 1 GB CF card is required for collating.

<sup>2</sup> Optional hard disc kit enables secure printing, proof-then-print, Print & hold, job storing and XPS support in addition to all extra functions with CF card.

<sup>3</sup> Image quality and paper feed of paper size 356-900 mm are not guaranteed



SAP® Printer Vendor Solution

