

FS-C5015N/FS-C5025N/FS-C5030N

► print ► copy ► scan ► fax

A4 COLOUR PRINTERS

COLOUR PRINTING THAT PAYS^{YOU} BACK.



Ecosys



KYOCERA

THE BENEFITS OF COLOUR, WITH THE ADVANTAGES OF COST-EFFICIENCY.

RAISING YOUR PROFILE WHILE ENHANCING YOUR BALANCE SHEET



In business, creating an impression is not just useful, it's essential. A fundamental way in which this can be achieved is through the use of colour. The advantages of colour documents are there for all to see: more impact, more professionalism, more immediacy. Colour enhances brand perception, grabs a target market's attention and allows you to communicate your company's values much more effectively.

At the same time, cost control is equally high-on the business agenda. After all, it's no good raising your profile if by doing so your costs escalate unacceptably.

Providing the answer to the colour versus cost balance are the FS-C5015N, FS-C5025N and FS-C5030N A4 colour printers. Bringing you all the benefits of colour printing, they simultaneously deliver optimum cost-efficiency.



Usually, colour printing means accepting inevitable expense. With the FS-C5015N/FS-C5025N/FS-C5030N it doesn't. These are colour devices that really pay off. Quality printing goes hand in hand with ECOSYS technology – the sort that's proved its worth time and time again in Kyocera monochrome devices. The result is very competitive cost-per-page figures. So, instead of being constrained by expense, your business can add to the possibilities of what it can achieve.

Long-life components

Hard-wearing components increase longevity and reduce downtime.

Attractive cost-per-page figures

Ensures an economical return on your investment.



Easy access to consumables

Allows straightforward toner replacement and saves valuable time.

PDF direct printing

Lets you print PDFs without having to open them first.


Large standard paper capacity

Allows many print runs without having to refill with paper.



Compact design with small footprints


Means the printers take up minimal space, especially important in small and busy offices.





A LONG-TERM COMMITMENT

ECOSYS is a unique guiding principle deployed by Kyocera Mita. The combination of optimised workplace efficiency, minimised environmental impact and effortless system integration truly sets Kyocera devices apart.



Ecossys®



ECONOMY: Total Cost of Ownership (TCO) is the true lifetime cost of a device as operating expenses can significantly exceed the original purchase price. ECOSYS devices are designed to minimise both direct costs, such as consumables, and indirect costs, such as energy usage and administration, invariably offering the lowest TCO in their class.



ECOLOGY: Kyocera's long-life technology utilises our extensive expertise in ceramics. The durable drum is integral to the printer; the only consumable is the toner cassette. ECOSYS printers consume fewer materials in manufacture, generate less waste and simplify recycling, thereby minimising environmental impact.



SYSTEM: With Kyocera ECOSYS devices, there is a wide range of enhancements designed to maximise document output productivity. Additional functionality and upgrades are available, maximising the long-term benefit of the investment. Finally, Kyocera Mita's integrated system software ensures long-term and cross-network compatibility.

ATTRACTIVE COST-PER-PAGE FIGURES, AT SPEED



Two factors combine to keep the cost per printed page down with the FS-C5015N, FS-C5025N and FS-C5030N. An extremely durable drum, developer and fuser unit means no interruptions for servicing, while high-capacity toner boxes reduce the need for frequent toner replacement.

Document output is fast, as is first page out time. Not only fast network connection, but also USB 2.0 (Hi-Speed) connectivity provides optimum compatibility and efficiency, while the printers' compact design and small footprint means they take up little space in a busy office – always an advantage in a modern, streamlined business.

EXTEND THE POSSIBILITIES, AND THE COST-EFFICIENCY

In addition to attractive cost-per-page figures, the following functions contribute to the FS-C5015N, FS-C5025N and FS-C5030N's ability to make colour printing both affordable and controllable. And at the same time extending the business opportunities.

The departmental code function enables offices to monitor and control printer access for easy limitation of print volumes. Up to 100 codes can be set up. A dedicated colour use setting even permits allocating colour print quotas – providing users access to the full printer functions while keeping expenses under control.



A proof and hold function lets you print a first runout and check it before proceeding with a job. Particularly suited to longer print runs, it allows for corrections to be made and lets you avoid unnecessary waste – of paper, toner and time.

A duplex unit lets you print eye-catching in-house brochures. As it does so, it provides an additional cost-saving, since double-sided printing equals more economical use of paper.

A COLOUR PRINTER TO SUIT THE WAY YOU WORK



Suitable for individuals looking for a stand-alone desktop colour printer, the FS-C5015N is also the ideal choice for small workgroups, as it offers network connectivity as standard. It comes equipped with USB 2.0 (Hi-Speed) and 128MB standard RAM, upgradeable to 640MB. Its output speed is 16 pages per minute. A 500-sheet paper cassette combined with a multi-purpose tray provides a standard 600-sheet capacity. This can be upgraded to 1,100 sheets with the addition of an optional paper cassette for workgroups.

The FS-C5025N is ideally suited for use as a shared workgroup printer. It has USB 2.0 (Hi-Speed) and network connectivity as standard, for optimum compatibility. Printing at 20 pages per minute, its 128MB standard RAM can be upgraded to 640MB. Its standard 600-sheet capacity, achieved by means of a 500-sheet capacity paper cassette in conjunction with a 100-sheet multi-purpose tray, can be increased to a maximum 2,100 sheets.





The FS-C5030N is a high-speed colour printer capable of supporting large departments. It features USB 2.0 (Hi-Speed) and network connectivity as standard as well as 128MB standard RAM, upgradeable to 1,024MB. Printing at 24 pages per minute, it comes equipped with a 500-sheet capacity paper cassette with 100-sheet multi-purpose tray. With the addition of three optional paper cassettes, a maximum capacity of 2,100 sheets enables long print runs to be carried out with ease. A number of options can be added to improve document handling further still. These include features such as departmental code and proof and hold functions, PDF direct printing, and a duplex unit for double-sided printing.

TAKING YOU FURTHER

With broad international experience in printing, scanning, copying, faxing and document management, Kyocera is in a unique position to offer custom solutions that streamline the entire workflow process and maximise your return on investment from your office equipment. To achieve this, Kyocera employs its own software developers and partners with leading providers in the fields of accounting, security, document management and system management. To see how Kyocera solutions can multiply the productivity of your hardware visit www.kyoware.com

FS-C5015N/FS-C5025N/FS-C5030N

A4 COLOUR PRINTERS



ECOSYS devices are designed to minimise both direct costs and indirect costs such as maintenance, administration and consumables. The cartridge-free system requires only the toner to be replaced. The modular design concept allows you to add workflow enhancing functions and a wide variety of paper handling capabilities as required. Integrated system software provides long-term cross-network compatibility. Kyocera's long-life components cost you and the environment less.

GENERAL

Technology: Kyocera Colour ECOSYS

Engine speed: FS-C5015N: Max. 16 pages per minute b/w and full colour

Up to 16 images per minute in duplex mode (optional)

FS-C5025N: Max. 20 pages per minute b/w and full colour

Up to 20 images per minute in duplex mode (optional)

FS-C5030N: Max. 24 pages per minute b/w and full colour

Up to 24 images per minute in duplex mode (optional)

Resolution: 600 x 600 dpi

Multi-bit technology for optimum colour output

Time to first page: FS-C5015N: 16 seconds or less

FS-C5025N: 13 seconds or less

FS-C5030N: 12 seconds or less

Warm-up time: FS-C5015N/FS-C5030N: 80 seconds or less from power on

FS-C5025N: 68 seconds or less from power on

Duty cycle: FS-C5015N: Max. 50,000 pages per month (A4), max. average 2,500 per month

FS-C5025N: Max. 85,000 pages per month (A4), max. average 10,000 per month

FS-C5030N: Max. 100,000 pages per month (A4), max. average 15,000 per month

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption: FS-C5015N: Printing: 452 W, Stand-by: 173 W, Power-Saving (ECOpower): 16 W

FS-C5025N: Printing: 443 W, Stand-by: 117 W, Power-Saving (ECOpower): 19 W

FS-C5030N: Printing: 551 W, Stand-by: 180 W, Power-Saving (ECOpower): 21 W

Noise (ISO 7779): FS-C5015N/FS-C5025N: Printing: 52 dB(A), Stand-by: 36 dB(A), Power-Saving (ECOpower):

Immeasurably Low

FS-C5030N: Printing: 55 dB(A), Stand-by: 36 dB(A),

Power-Saving (ECOpower): Immeasurably Low

Dimensions (W x D x H): 345 x 470 x 385 mm

Weight: FS-C5015N: Approx. 24 kg with toner containers

FS-C5025N/FS-C5030N: Approx. 25 kg with toner containers

Certification: TÜV/GS, CE

This product is manufactured according to ISO 9001 quality

standard and ISO 14001 environmental standard.

PAPER HANDLING

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental conditions.

Input capacity: 500-sheet universal cassette, 60-105g/m², A4, B5, A5, Letter, Custom (148 x 210 – 216 x 356 mm), 100-sheet multi-purpose tray, 60-200g/m², A4, B5, A5, Letter, Legal, Custom (70 x 148 – 216 x 297 mm),

FS-C5015N: max. 1,100 sheets,

FS-C5025N/FS-C5030N: max. 2,100 sheets

Output capacity: 250-sheet face-down with paper full sensor,

face-up output with optional PT-300/PT-301

System platform:

The FS-C5015N, FS-C5025N and FS-C5030N offer USB, parallel (FS-C5030N only) and network connectivity as standard and deliver problem-free system administration. Kyocera's single platform technology means that the same driver can be used for every Kyocera PCL/ PostScript print device on the network: from single-user desktop printers to high-end multifunctional systems. Only Kyocera offers this effortless combination of IT sophistication and high-performance paper handling expertise.

PRESCRIBE IIc:

With the Kyocera page design and control language PRESCRIBE IIc, even complex colour graphics, logos and forms (even multipart forms) can be created independently of the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

KM-NET for Client/KM-NET Viewer:

The settings of all printers on the network can be checked visually and amended from any Windows PC. KM-NET for Client enables easy setup and check of the printer status via USB, parallel (FS-C5030N only) and network connection. KM-Net Viewer is an advanced printer management software tool using the standardised protocol SNMP.

CONTROLLER

Processor: FS-C5015N: PowerPC 750Cxr / 400MHz

FS-C5025N: PowerPC 750Cxr / 500MHz

FS-C5030N: PowerPC 750FX / 600MHz

Memory: FS-C5015N/FS-C5025N: 128MB RAM + ECOMemory, max. 640MB in 1 DDR SDRAM DIMM slot

FS-C5030N: 128MB RAM + ECOMemory, max. 1,024MB in

2 DDR SDRAM DIMM slots

Emulations: PCL6 (PCL5c/PCL-XL), KPDL 3 (PostScript 3 compatible) with automatic emulation sensing (AES), PDF direct printing

Controller language: PRESCRIBE IIc

Fonts: FS-C5015N: 80 outline fonts (PCL6: PCL5c/PCL-XL,

KPDL 3); 1 bitmap font;

FS-C5025N/FS-C5030N: 80 outline fonts (PCL 6: PCL 5c/PCL-XL), 136 outline fonts (KPDL 3); 1 bitmap font;

45 types of one-dimensional barcodes, plus 1 type of two-dimensional barcode (PDF-417).

Downloadable fonts: Kyocera, PCL + TrueType format,

Type 1 + 3 font format

Print features: eMPS – for quick copy, proof and hold, private print, job storage and job management functionality with hard disk

INTERFACE

Standard interface: FS-C5015N/FS-C5025N: USB 2.0

(Hi-Speed), Fast Ethernet 10/100Base-TX, UIO-LV option interface slot

FS-C5030N: High-speed bi-directional parallel (IEEE 1284),

USB 2.0 (Hi-Speed), Fast Ethernet 10/100Base-TX, UIO-LV

option interface slot

Multiple interface connection (MIC): Allows simultaneous data transfer via up to three/four interfaces, with each interface having its own virtual printer.

CONSUMABLES

FS-C5015N:

Toner-kit TK-520K: Microfine toner black for 6,000 pages in accordance with ISO 10561B.

Toner-kit TK-520C: Microfine toner cyan for 4,000 pages in accordance with ISO 10561B.

Toner-kit TK-520M: Microfine toner magenta for 4,000 pages in accordance with ISO 10561B.

Toner-kit TK-520Y: Microfine toner yellow for 4,000 pages in accordance with ISO 10561B.

Capacity of starter toner is black 3,000 pages, cyan, magenta, yellow 2,000 pages in accordance with ISO 10561B.

FS-C5025N/FS-C5030N:

Toner-kit TK-510K: Microfine toner black for 8,000 pages in accordance with ISO 10561B.

Toner-kit TK-510C: Microfine toner cyan for 8,000 pages in accordance with ISO 10561B.

Toner-kit TK-510M: Microfine toner magenta for 8,000 pages in accordance with ISO 10561B.

Toner-kit TK-510Y: Microfine toner yellow for 8,000 pages in accordance with ISO 10561B.

Capacity of starter toner is 4,000 pages in accordance with ISO 10561B.

OPTIONS

Paper handling

FS-C5015N/FS-C5025N/FS-C5030N:

PF-60 Paper feeder: 500-sheet, 60-105g/m², A4, B5, A5, Letter, Legal, Custom (148 x 210 – 216 x 356 mm);

FS-C5015N: Max. 1 x PF-60

FS-C5025N/FS-C5030N: Max. 3 x PF-60

DU-301 Duplex unit: Double-sided printing, 60-105g/m², A4, B5, A5, Letter, Legal, Custom (148 x 210 mm – 216 x 356 mm) FS-C5015N:

PT-300 Paper tray: Face-up paper output tray for 100 sheets FS-C5025N/FS-C5030N:

PT-301 Paper tray: Face-up paper output tray for 100 sheets

EF-310 Envelope feeder: 70 standard envelopes/100 air mail envelopes, A6-C5

Memory

Printer memory: FS-C5015N/FS-C5025N: 1 slot (64, 128, 256, 512MB DDR SDRAM DIMM)

FS-C5030N: 2 slots (64, 128, 256, 512MB DDR SDRAM DIMM)

CompactFlash® card: 1 slot (up to 2GB) for printing forms, fonts, logos, macro storage

Hard disk HD-5: 40GB HDD for easy document management

OCR-2: Font ROM with OCR-A and OCR-B font types

Optional interface

FS-C5015N/FS-C5025N/FS-C5030N:

IB-23 Network card: 10Base-T/100Base-TX

IB-11 Serial interface: RS-232C serial interface (max. 115.2 kbps)

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet:

10BaseT / 100BaseTX / 1000BaseT (RJ-45)

PS129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

WARRANTY

2-year warranty as standard. Kyocera guarantees the drums and developers for 3 years or 200,000 pages* (whichever occurs sooner), provided each printer is used and cleaned in accordance with the service instructions.

*FS-C5015N: 100,000 pages



The up to 5-year on-site warranty** extension for printer and options.

**FS-C5015N: 3-year on-site warranty



Your Kyocera Business Partner:

KYOCERA MITA Europe B.V., Hoeksteen 40, 2132 MS Hoofddorp, The Netherlands, Tel +31 (0) 20 65 40 000, Fax +31 (0) 20 65 31 256, www.kyoceramita-europe.com, info@kyoceramita-europe.com

KYOCERA MITA Corporation, 2-28, 1-Chome, Tamatsukuri, Chuo-Ku, Osaka 540-8585, Japan, www.kyoceramita.com

Kyocera does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

