



 Print  Copy  Scan  Fax  Publish

The Single Solution



KM-C2630

KM-C2630

The KM-C2630 from Kyocera is the cost effective document solution for the office. High speed printing, copying, scanning or faxing in black & white or full vibrant colour.

Kyocera has freed offices from having to run a fleet of devices to create their documents. Now for the first time customers can fax from their desktop, scan 100 page documents, print stapled reports, and copy the latest sales figures in the time it takes to make a good cup of coffee. Kyocera has **Colour Enabled** its black & white Multifunction Devices.

► Technology Breakthrough

A colour device that can also print in black is not new, a black & white device that can output **colour** is. By adding colour to its award winning range of black & white multifunction devices Kyocera has changed the face of document creation forever. Now users can use the same device they create their black & white documents

to also create documents with a splash of colour or in full brilliant colour.#

Most importantly because the KM-C2630 was born from black & white, users can be assured productivity they are used to is maintained and virtually no additional training is required. Adding colour to

a black & white document is as simple as selecting colour from the driver or the user interface – it could not be any easier.

► Power to Perform

The KM-C2630's productivity ensures the time previously spent waiting for your documents to be scanned or produced is slashed. With an amazing output speed of up to 26 A4 pages per minute in black & white, colour or

a mixture of both and an input speed of up to 21 A4 pages per minute in colour and 31 A4 pages per minute in black & white, users can spend more time working and less time printing.



Print / Copy



Network Scan





► Performance without the cost

A core philosophy of Kyocera is driving down the cost of creating a document.

In order to achieve this philosophy Kyocera engineers have developed and employed a number of unique technologies:

Amorphous Silicone Drum - Lasts up to 12 times longer.

The KM-C2630 uses an ultra-long life Amorphous Silicone ceramic drum, with a life expectancy of approximately 300,000 A4 pages (up to 12 times the competition). By not having to replace the drum as frequently, Kyocera customers not only save substantial sums of money, they also significantly reduce the impact on the environment.

Ultra Long Life Components

To ensure uptime is maximised perishable componentry has been

designed to last 300,000 pages or more, ensuring the first scheduled service visit will coincide with the replacement of the drums.

Reduced labour costs

The greatest and most overlooked cost in document creation is labour. Features such as high speed multi-page scan to email, free users from labour intensive manual scanning, network faxing allows users to send documents directly from their desktops, whilst on-line finishers (staplers) can create stapled and folded booklets at high speed.



Kyocera's ultra-long life drum ensures you only change the toners once every 20,000 prints.*

► Effortless Connectivity

Connecting to the network and taking control.

Once connected to the network the KM-C2630 comes alive and transforms into a versatile multifunction device that gives the enterprise complete control over its documents.

Kyocera's Advanced **Network Setup Utilities** ensure that initial setup and configuration of the KM-C2630 can be handled with unparalleled ease. Using advanced tools, Network Administrators can set protocols, printing defaults, and preferences,

enable notification services, and apply security—simply by entering an IP address in any browser interface. Minimal time is required for configuration, allowing Administrators to be free to concentrate on other tasks.

KM-NET Viewer allows Network Administrators to monitor all SNMP compliant printing devices on the network, check paper levels, change device defaults, and view

meter counts. The ability to set auto reporting, e-mail notifications and alerts also allows administrators to address any issues or problems in real-time.



► Printing that Stands Out

The addition of colour makes documents standout from the pack. Just select Colour or Black & White in the driver.


Kyocera believes document creation should be a simple process; user interaction with devices should be intuitive, effective and efficient. This is why Kyocera invested over 2 years researching, developing and testing the industry unique KX driver. The KX driver is compatible with all Kyocera Copier, Printer and Multifunction Devices, regardless of Page Description language or Windows™ operating system.

The KX Driver gives you full access to and control over all paper resources,

publishing features and advanced finishing capabilities. With the KX Driver users can create outstanding documents — complete with covers and inserts, and finished with staples or hole-punch—saving users time and reducing costly outsourcing expenses.

For added versatility, the PDF Direct Print Utility significantly enhances the ability to generate impressive documents. Designed to print Portable Document Format (PDF) files outside the application, PDF Direct Print takes advantage of all key product features,


such as paper handling, finishing, duplex, and even Job Storage. For the workgroup that demands productivity, PDF Direct Print delivers.



► Enhanced Multiple Printing System

Outstanding image quality:

Gloss control, oil-free fusing and the equivalent of 1,800 dpi: the KM-C2630 produces colour business documents of a remarkable quality.




Connecting to the network and taking control.

With the installation of the optional hard disk drive (HD-10), the Enhanced Multiple Printing System (eMPS) functionality becomes available.

- **Quick Copy**
Recently printed documents can be reprinted directly without needing to be sent over the network.
- **Job Storage**
Saves data for commonly used documents permanently on the hard disk. Documents can be printed directly from the KM-C2630, again reducing network traffic.

- **Proof and Hold**
Enables the first print to be checked for errors before the entire job is printed. Expensive misprints and the associated wastage of toner and paper are effectively prevented.
- **Private Print**
Private print jobs are only released for printing after a password is entered at the operation panel.
- **Virtual Mailbox**
Offers each user a convenient, personalised storage space on the hard disk itself, where document data can be stored and called up as required.

► Professional Image Quality



Finer gradations of colour and shading thanks to Colour Multi-Bit technology

The KM-C2630 offers Kyocera's proven Colour Multi-Bit technology to deliver outstanding levels of image quality. Every pixel can be defined by four bits of data instead of just one. With the equivalent of 1,800 dpi, text is clearer, shading is finer, and colours are richer. And thanks to the KM-C2630's oil-free fusing technology and gloss control system, you can create colour documents with the level of matt or gloss you desire.

► Advanced Digital Copying

With its large, easy-to-use touch panel, the KM-C2630 is an extremely user-friendly departmental multifunction device. Standard with 512MB of copying memory and a 20GB HDD allows for advanced copier functionality.

Scan once – print many

Get faster output from the copier function. The “scan once - print many” feature scans your original document once and stores the data in the memory. The required number of copies is then printed. This leads to faster results, and minimises the demands on moving components, as the scanner doesn’t need to re-scan the original for each identical copy.

Rotate sort

For easier sorting of multi-page documents, use the rotate sort function. Simply load one paper cassette with paper in landscape format, a second in portrait. The KM-C2630 automatically alternates between paper sources and digitally rotates the copy image. Output is neatly stacked for fast, easy distribution.

Job Build

Turns complex copy jobs into a simple operation. Users can copy separate sets of originals each with their own functionality into memory (eg. sect 1 double sided from tray 3, section 2 single sided tray 1) The KM-C2630

combines these sets into a single job and then outputs the complete document.

Automatic colour selection (ACS)

The KM-C2630 saves you money by using colour only when it’s required. By analysing the original, ACS calculates which pages require colour and which are pure black & white.



► A3 Scanning — with Colour

With the additional Scan System C, the KM-C2630 becomes an easy-to-use A3 colour scanner with full network connectivity. The KM-C2630 scans at a speedy 31 A4 ppm in monochrome and 21 ppm in colour, even at a resolution as high as 600 dpi.

- **TIFF, PDF and JPEG:**

Using any of the standard imaging formats the KM-C2630 lets you scan and manage data quickly and efficiently.

- **Scan to e-mail:**

Simply select ‘Scan to Email’ at the user interface, select up to 100 destinations from your organisations email address book.[†]

- **Scan to PC:**

Store data of scanned documents on any PC or server folder on your network.

- **Private Print**

Private print jobs are only released for printing after a password is entered at the operation panel.

- **TWAIN:**

Documents can be scanned into any TWAIN compatible device.

- **PaperPort Deluxe:**

This powerful software lets you manage and archive scanned documents directly at your KM-C2630.

[†] Requires LDAP server to be active

► High Speed Fax

Optional fax upgrade for the KM-C2630D

Create, edit and send faxes directly from your PC without needing to leave your seat. The KM-C2630's optional fax module enables convenient faxing, both outgoing and incoming. Even long documents such as books can be faxed rapidly and with time-saving efficiency.

Network Fax Transmission:#

In the same way users print a document, users can fax a document from their desktop, simply select Fax from the driver and enter the telephone number. To ensure receipt a confirmation email is sent to the sender.

Network Fax Reception#

Incoming faxes can be automatically routed to a file server – where users can conveniently retrieve their documents. Removing the need to physically access the fax saves time and money and also ensures faxes never go missing again.

Scanning Kit also required

► Advanced Paper Handling

To ensure the KM-C2630 fits in with the demands of the organisation Kyocera has made available an exceptional range of paper handling options.

Flexible Paper Trays

Kyocera has designed the KM-C2630's paper handling options to match customer requirements. The KM-C2630 comes standard with double-siding (duplex) and a 150 sheet multipurpose tray capable of

feeding up to 220 g/m². Users requiring flexibility can select up to 3 additional 500 sheet universal paper trays (PF-640 / PF-645), whilst those in high volume environments can select a 3,000 sheet high capacity system (PF-647).



Media Flexibility:

The PF-645 give users access to three additional 500 sheet paper sources.



Ideal for high volume jobs:

The PF-647 has a capacity of up to 3,000 sheets.

► Versatile Paper Finishing

The KM-C2630 enables you to produce impressively finished colour and monochrome documents with the press of a button – even in high volumes. Add the 3,000-sheet finisher (DF-600) to stack and staple your output. Or create professional-looking

booklets – folded, stapled and even hole-punched – with the help of the optional 3,000-sheet modular document finisher (DF-610), booklet folder (BF-1) and hole-punch unit (PH-3C).





KM-C2630D Specifications

Basic Specification	
Configuration:	Desktop Digital Copier with Standard 150 sheet multi- purpose tray
Duplex	Std
Copier Memory	Std: 256 + 20GB HDD Max: 512MB + 20GB
Colour Speed:	Up to 26 A4 ppm 13 A3 ppm
B&W Speed:	Up to 26 A4 ppm 13 A3 ppm
Double Sided Speed:	Up to 24.5 A4 ppm 13 A3 ppm
Gloss / Transparency / Thick Mode:	up to 13 / 13 / 12 ppm
Drums / Life	Amorphous Silicone / Approx 300,000 A4 pages
Resolution:	600 * 600 dpi 256 level
First Copy Out Time:	8.8 Sec
Zoom:	25 ~ 400%
Warm Up Time	3 min or less
Dimensions	W 699mm x D804mm x H 1,122mm
Weight	Approx. 120 kg
Power Consumption: Max	1500W
General Copying	744W
Idling / Power Save	179W / 95W

Paper Supply:	
Max Copy input size:	A3
Max Output size: (guaranteed printable area)	A3 Wide 304.8mm x 457.2mm (297mm * 431mm)
Paper Capacity	STD: 150 sheets Max: 3,150 sheets
Paper Weight:	Bypass: 60 - 220 g/m ² Tray: 64 - 105g/m ² Duplex: 60 ~ 105 g/m ²
Input Materials – Tray:	Plain, Pre-Printed, Recycled, Colour, Pre-Punched, Coated, Coloured
Input Materials – Bypass:	As above + Transparency, Labels, Vellum, Envelope, Cardstock * Kyocera Recommends customers test papers.

Paper Handling Options:	
Single Input Tray:	PF-640
Paper Capacity:	500 sheets @ 80 g/m ²
Max Cassettes / Capacity:	2 cassettes (2*500 + 1,150 + 150 = 1,650 sheets)
Paper Sizes:	A3, B4, A4, A4R, B5, B5R, A5R, Custom
Paper Weight:	60 ~ 105 g/m ²
Dimensions / Weight	679mmH x 641.6mmW x 141.6 mmD / 14.0 kg (excluding castors)
Triple Input Tray:	PF-645
Paper Capacity / Total	1,500 sheets / 3 * 500 + 150 = 1,650 sheets @ 80 g/m ²
Paper Sizes:	A3, B4, A4, A4R, B5, B5R, A5R, Custom
Paper Weight:	60 ~ 105 g/m ²
Dimensions / Weight	679mmH x 641.6mmW x 434.2mmD / 41.5 kg
High Capacity Input Tray:	PF-647
Paper Capacity / Total	3,000 sheets / 1 * 500 + 1 * 1,000 + 1 * 1500 + 150 = 3,150 sheets @ 80 g/m ²
Paper Sizes:	A3, B4, A4, B5, B5, A5, Custom
Paper Weight:	60 ~ 105 g/m ²
Dimensions / Weight	679mmH * 641.6mmW * 434.2mmH / 51.5 kg
Auto Document Feeder	SRDF-2
Capacity	Max 100 sheets A4
Original Size:	A3R ~ A5
Paper Weight:	Single-Sided 35 ~ 160 g/m ² Double-sided 50 ~ 120 g/m ²
Dimensions / Weight	553mmW x 478mmD x 137mmH / 10.5 kg

Paper Output Options		
Single / Double Finisher	DF-600	DF-610
Paper Size	A3R - A6R	Postcard - A3R
Output Trays	1	2
Paper Weight	Main Tray A5 - 200 g/m ²	Main Tray 60 - 160 g/m ² Sub Tray 60 ~ 220 g/m ²
Staple Position	1 Top Left	1 Top Left, 1 Bottom Left, 2 Left, 2 Centre
Booklet Finishing	N/A	Yes with optional BF-1
Staple Capacity	A4 up to 50 sheets B4+ up to 30 sheets	
Dimensions / Weight	796mmW x 640mmD x 950 mmH 78 kg	
Multi-Tray Mail Box	MT-1 for DF-600 / 610	
Trays / Capacity	5 x 200 sheets / bin (A4) (60-80gm ²)	
Paper Size	A3 ~ A6R, 45 ~ 160 g/m ²	
Dimensions / Weight	368mmW x 392mmD x 573mmH 15kg.	

Booklet Binder	BF-1 for DF-610
Paper Size	A3, B4, A4
Stack Capacity	1 - 5 sheets: 40 sets , 6 ~ 10 sheets: 24 sets 11 ~ 16 sheets: 15 sets (60 ~ 80 g/m ²)
Paper Weights	60 ~ 80 g/m ² 16 sheets 91-105 g/m ² 10 sheets
Dimensions / Weight	590mmW x 430mmD x 252mmH 19kg.
Hole Punch	PH-3C
Paper Size	A3 - B5
Paper Weight	60 - 200g/m ²
Numbers of Holes	2 or 4
Dimensions (W x D x H) mm	180mmW x 510mmD x 100mmH
Weight	Approx. 3.5kg

Connectivity Options	
Print	Prt Sys T
Colour Print Speed:	Up to 26 A4 ppm
B&W Print Speed:	Up to 26 A4 ppm
Double Sided Speed:	Up to 24.5 A4 ppm
CPU	Power PC 750 Cx6 600MHz
Memory	Std 128MB Max 512MB Optional: HD-10 20GB HDD
First Page Out Time	Full Colour + B&W 9.0 seconds (Face up tray)
PDL	Prescribe, PCL-6 (PCL-5e/PCL-XL/PCL-5c) KPD/L3 (PS3 compatible)
Interface	STD: Parallel (IEEE 1284) 10Base-T/100 Base-TX)
Network Scanning	Scan Sys C
Scanning Speed (A4)	Full Colour: Up to 21 spm, Black & White 31 spm
Scan Modes	Full Colour, Gray, Black & White
Max Scan Size	A3
Scanning Resolution	600dpi, 400dpi, 300dpi, 200dpi
Compatible PC	DOS/PC
OS	Windows 95/98/Me/NT4.0/2000/XP
Interface	10 Base-T, 100 Base-TX
Gradation	RGB Each 256 levels, Monochrome 256 levels (Dithering)
Scan Mode	Text, Photo, Photo & Text
Compression Method	Black&White:G4(MMR), Full Colour/Gray JPEG (Compression level can be adjusted)
File Format	TIFF, PDF, JPEG
Protocol	TCP/IP
Bundled Utility Software	Scanner File Utility, Address Editor, Address Book, TWAIN Source, Configuration Tool, DB Assistant,
Bundled Document Management Software	Paper Port

Fax	Fax Sys H
Network Fax	When combined with Scan Sys C
Scanning Density	16 lines/mm x 15.4 lines/mm (Option), 8 lines/mm x 15.4 lines/mm 7.7 lines/mm x 3.85 lines/mm
Transmission Speed	Less than 3 seconds/page (JBIG)
Coding System	MH, MR, MMR, JBIG
Original Size	Width: 148 ~ 297mm, Length: 148 - 1,600mm
Output Paper Size	A3 ~ A5 Portrait
Original Supply	Auto paper feed (100 sheets) with SRDF-2
Memory Capacity	Std 8MB (Image memory 4MB+ bitmap 4MB) Max 16MB
Modem Speed	33,600/31,200/28,800/26,400/24,000/21,600/19,200/16,800/14,400/12,000/9,600/7,200/4,800/2,400 bps

Australia Sales Enquiries 1300 364 429

Australia Web Address
www.kyoceramita.com.au

New Zealand Web Address
www.kyoceramita.co.nz

Sydney Head Office
6-10 Talavera Road
North Ryde NSW 2113
Phone: (02) 9888 9999
Fax: (02) 9888 9588

Melbourne Office
Unit 2, 993 North Road
Murrumbeena VIC 3163
Phone: (03) 9579 1555
Fax: (03) 9579 1544

Brisbane Office
Cnr Forbes St & Riverside Drive
West End QLD 4101
Phone: (07) 3844 6686
Fax: (07) 3844 8569

Perth Office
104 Walters Drive
Osborne Park WA 6017
Phone: (08) 9201 9155
Fax: (08) 9201 9511

Adelaide Office
53 Rundle Street,
Kent Town SA 5067
Phone: (08) 7421 2000
Fax: (08) 7421 2001

Canberra Office
Epicorp Centre
401 Clunies Ross Street
Acton ACT 2601
Phone: (02) 6229 1729
Fax: (02) 6229 1701

New Zealand Office
1-3 Parkhead Place
Albany New Zealand
Phone: (64) 9 415 4517
Fax: (64) 9 415 4597

ABN 77 003 852 444

**Kyocera is the
Official Supporter of
Business Clean Up Day**

A SMART
ENVIRONMENTAL
CHOICE

Protection of the environment
is integral to Kyocera's
day-to-day operations. Research
over the last few decades has
been focused, not only
developing the most advanced
document management devices,
but also doing so in harmony
with the environment.



Disclaimer

Kyocera does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to print. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.