


Color 550/560 Printer

Productivity plus outstanding colour for all environments.



Productivity, scalability and professional image quality, all-in-one.

The Color 550/560 Printer integrates benchmark image quality, expansive media handling and professional finishing with efficient, secure and flexible colour workflows to deliver an affordable print solution for any environment.



Gain new business and keep high-value colour printing in-house.

- Benchmark 2400 x 2400 dpi image quality with excellent colour consistency.
- Emulsion Aggregation (EA) Low Melt Toner gives all your applications a smooth, offset-like finish with outstanding sharpness and uniformity, crisp text and bright highlights.
- Enhanced Gloss Mode setting produces output with a glossy lustre.
- Digital speed, easy set-up and automated workflows accomplish the quick turnarounds and cost-effective short runs customers expect.
- Meets Fogra Certification standards.

Flexibility to create a wider range of applications.

- Expansive media range lets you print everything from postcards to posters.
- Handles both coated and uncoated stock, up to 300 gsm.
- Inline finishing options offer a professional polish with stapling, hole-punching and folding for presentations, brochures, reports and newsletters.
- Choice of additional print servers allows you to boost colour management and streamline labour-intensive processes.
- Variable data capabilities let you capitalise on personalised applications for direct mail.

Get productivity from start to finish.

- Four standard internal paper trays plus additional feeding options optimise the number of sheets in your print run.
- Swift printing of 50/55 ppm and 60/65 ppm, colour/black and white.
- Load-while-run paper and toner.
- Auto duplex printing up to 176 gsm uncoated* eliminates time-consuming manual intervention.
- An array of Customer Replaceable Units puts you in control of basic maintenance.

*Auto duplex printing can be set up to 220 gsm coated and uncoated, however results and performance are subjected to media testing.

Convenient walk-up operation

Large 10.4-inch, colour user interface features bright, intuitive icons and easy access to all major functions directly from the home screen.

For easy document viewing, colour thumbnails and up-close previews can be shown on the device touch screen.
The entire panel can be tilted making it accessible to just about anyone.



Icons are customizable. You can place frequently-used functions on the first screen.

Simplify document Management

Full range of scanning solutions. Simply scan your hard copy documents and get searchable digital files* that can be automatically shared via email or network folder.

*Optional Searchable PDF Kit is required.

Reduce network traffic.

Access scanned documents faster with advanced file compression techniques that dramatically shrink file sizes, reduce storage space requirements and cut down on document traffic on your network*.

*Optional High Compression Image kit is required.

Password protected PDFs require a password to open and view a sensitive scan.

Flexible document handling.

The 250-sheet capacity, document feeder scans at up to 50 images per minute for color and 80 ppm for b/w originals for exceptional productivity in scanning mode.

Easily manage Fuji Xerox devices

CentreWare™ Internet Services

software makes it easy for administrators to configure the device, upload address books, monitor usage and consumables remotely and establish auditing capabilities.

Configure once, apply fleet wide.

Fuji Xerox multifunction device configurations can be cloned and distributed to all similar multifunction devices on your network, eliminating the need to configure and manage each device individually.

Network Authentication restricts access to device features and management settings by validating user names and passwords.

With LDAP integration standard.

Secure authentication, administration and access to your corporate directory is simplified.

Build your solution today and expand it tomorrow as your business grows.

Feeding Options: Add on as your productivity and media handling needs increase.

A4 High Capacity Feeder – 2,000 sheets
A4 up to 220 gsm coated

- Great for long run reports, presentations, mailers, etc.

A3 High Capacity Feeder/High Capacity Feeder C1-DS – 2,000 sheets

330 x 488 mm each tray, up to 300 gsm coated. The A3 High Capacity Feeder has 1 tray and the HCF C1-DS has 2 trays. Paper stabiliser minimises skew and roller system prevents misfeeds.

- Reliable feeding for large quantities of coated paper and enables SRA3 full bleed applications

Finishing Options: Scale up your inline finishing capabilities as your demands grow.

Simple Catch Tray¹

Offset Catch Tray¹

Finisher C2 – Multiposition 50-sheet stapling and standard 2/4 hole punching for coated/uncoated paper.

Finisher C2 with Booklet Maker – Multiposition coated and uncoated 50-sheet stapling and standard 2/4 hole punching plus bi-folding and saddle-stitch booklet making.

Finisher D4 with or without Booklet Maker² – These versatile finishing options enable coated booklets, brochures and bi-fold mailers as well as stacking, stapling and hole punching. They also include an interposer input tray. Choose from a Finisher D4, Finisher D4 with Booklet Maker or a Finisher D4 with Booklet Maker and D4 Folder Unit.

¹ Catch Tray Fan Kit required.

² Interface Module required.

SquareFold® Trimmer Module– Enhances the power of your finisher with highly desired features, such as square folding and face trimming to produce high value brochures and booklets.


GBC® AdvancedPunch™ – Lets you create professionally bound documents in-house by combining printing, collating and punching into one convenient step. You can select from various interchangeable die sets for popular binding styles without manual punching, thereby increasing productivity and lowering costs while producing professional looking documents.

Productivity is built-in to your Color 550/560 Printer.

User Interface features 10.4" colour touch screen.

Copy at 50 or 60 colour copies per minute, even duplex.

Scan at high speed, both colour and monochrome.



Versatility from start to finish.


Professional feeding and finishing are the beginning and end of the perfect job. The Color 550/560 Printer gives you all the options you need to make anything from coated brochures, newsletters, presentations, direct mail, booklets and more... a great success.



A3 High Capacity Feeder
2,000 sheets: Up to SRA3



High Capacity Feeder C1-DS
2,000 sheets each tray (4,000 sheets total): Up to SRA3



Offset Catch Tray
500-sheet stacking.



Finisher C2 with or without Booklet Maker
Offers 50 sheet, multi-position stapling and 2/4 or 3(optional) hole punching. Optional Booklet Maker enables saddle stitching with center fold for easy booklet making for up to a 60-page booklet and bi-fold brochure assembly.



GBC AdvancedPunch™
Lets you create professionally bound documents in house by combining printing, punching and collating into one convenient step.



Finisher D4 with or without Booklet Maker* This finishing option enables coated booklets, brochures and bi-fold mailers as well as stacking, stapling and hole punching. It also includes an interposer input tray. Even more versatility can be obtained with the addition of the optional tri-fold, Z-fold and tabloid Z-fold module for this finisher.



SquareFold® Trimmer Module. Enhances the power of Finisher D4 with Booklet Maker with highly desired features, such as square fold of cover sheets and face trimming to produce booklets.

* Interface module required

Create exciting new applications – easily finished inline.

The printing world is exploding with new applications and new ways to use colour, media and finishing. The superb image quality, robust media latitude, flexible finishing options, modularity and server options of the Color 550/560 Printer, integrated with enterprise workflows, make it the perfect device for capturing new business, keeping more applications in-house.

Production printing with enterprise workflows at an affordable price.

Image quality, ease of use, productivity, media latitude, feeding and finishing options, are at your fingertips. Grow your digital colour printing capabilities and reduce costs with the Color 550/560 Printer.




- **Brochures** – easily create professional, colourful brochures with productivity boosting inline folding
- **Presentations/Newsletters** – inline stapling and hole punching makes producing presentations and newsletters quick and easy
- **Reports** – inserted tabs keep annual reports and financial reports organised, while stapling and GBC® AdvancedPunch™ hole-punching keep pages secure
- **Posters** – expanded media range lets you run eye-catching posters on sturdy coated media – up to SRA3
- **Booklets** – automated folding and coated paper saddle stitching – even inserts – give booklets such as retail catalogues and photo books a professional finish that's fast too
- **Photo applications** – impeccable colour and photo-finish image quality will keep customers coming to you for all today's latest photo applications

Server options to meet every need.

The Color 550/560 Printer offers a range of servers to fit your environment depending on your workflow, applications and preferences.

Add any of the following optional servers, depending on skill levels and business needs.



Integrated Fiery® Color Server

Get fast RIP speeds and great productivity while simplifying and streamlining your workflow by automating job submissions of repetitive job types with optional Hot Folders and Virtual Printers. Fiery ColorWise colour management tools produce precise, exact colour. And its basic variable data capabilities let you customise output with varying text, photos and graphics.

EX Print Server, Powered by Fiery®

You can produce effective marketing pieces with a wide range of output options, including automatic identification of job elements, eliminating the need to reprogramme jobs. Fiery ColorWise delivers high-quality colour fast and easy. Fiery Command Workstation reduces errors and waste. Supports Adobe PDF Print Engine, for a native, end-to-end PDF workflow.



CX Print Server, Powered by Creo® Color Server Technology

Advanced features and ease of use deliver excellent colour capability and quality expanding your range of services and business opportunities. Creo Color Server allows automated workflow for quick, error-free results.

Its superb colour output and management ensure customer-pleasing results. Built-in connectivity to Prinergy workflow for automated, hybrid workflows also supports Adobe PDF Print Engine 2 for a native, end-to-end PDF workflow.



FreeFlow® Print Server

Delivering simple yet advanced colour management with Xerox® ConfidentColor technology, the FreeFlow Print Server enables you to deliver high-quality documents. It combines great features such as Xerox Consistent Color Mode with advanced profiling technology and highly refined calibration techniques to deliver consistency time after time. Add support for Adobe PDF Print Engine, as well as production features such as job and queue management, and the FreeFlow Print Server gives you everything you need for outstanding colour output.

Specifications for the Color 550/560 Printer

Resolution

- Print/Copy: 2400 x 2400 dpi
Scan: 200 x 200, 300 x 300, 400 x 400, 600 x 600
- Line Screens: 600, 300, 200 and 150 Clustered Dot, 200 Rotated Line Screen¹

Technology

- Load-while-run toner and paper capability
- Advanced Registration Technology for tighter control, ±1.2 mm along lead edge, ±2.4 mm side to side
- Custom paper set-up/alignment profiles
- EA low melt toner
- Active decurling for heavy-weight media

Integrated Scanner

- 250 sheet capacity
- 50 ppm colour/65 ppm b/w in copy mode; 50 ppm colour/ 80 ppm b/w in network scanning mode
- Originals up to A3/11" x 17" in weights from 38 – 105 gsm
- Duplex Automatic Document Feeder (DADF)

Productivity/Print Speeds

- Duty Cycle²: 300,000
- Average Monthly Print Volume³: 10,000 to 50,000 pages per month

Print Speeds Colour

- A4
 - 50/60 ppm (64 – 105 gsm) uncoated
 - 35/43 ppm (106 – 176 gsm) uncoated, (106 – 150 gsm) coated
 - 25/30 ppm (177 – 300 gsm) uncoated, (151 – 300 gsm) coated
- A3
 - 25/30 ppm (64 – 105 gsm) uncoated
 - 19/21 ppm (106 – 176 gsm) uncoated, (106 – 150 gsm) coated
 - 14/14 ppm (177 – 300 gsm) uncoated, (151 – 300 gsm) coated
- SRA3
 - 22/27 ppm (64 – 105 gsm) uncoated
 - 15/19 ppm (106 – 176 gsm) uncoated, (106 – 150 gsm) coated;
 - 12/12 ppm (177 – 300 gsm) uncoated, (151 – 300 gsm) coated

Print Speeds Black and White

- A4
 - 55/65 ppm (64 – 176 gsm) uncoated;
 - 35/43 ppm (177 – 300 gsm) uncoated, (106 – 176 gsm) coated
 - 25/30 ppm (177 – 300 gsm) coated
- A3
 - 27/33 ppm (64 – 176 gsm) uncoated
 - 19/21 ppm (177 – 300 gsm) uncoated, (106 – 176 gsm) coated
 - 14/14 (177 – 300 gsm) coated

- SRA3
 - 25/29 ppm (64 – 176 gsm) uncoated
 - 15/19 ppm (177 – 300 gsm) uncoated, (106 – 176 gsm) coated
 - 12/12 (177 – 300 gsm) coated

Paper

Flexibility/Weights

- Internal Trays 64-220 gsm uncoated and coated⁴
 - Tray 1 500-sht SRA3, Tray 2 500-sht A3, Tray 3 870-sht A4, Tray 4 1140-sht A4
- Bypass 250-sht up to 300 gsm uncoated and coated
- Optional A3 HCF 2,000 sht x 1 tray
- Optional HCF C1-DS 2,000 sht x 2 trays

Capacity and Handling (A4)

- 3,260 sheets standard
- Maximum paper capacity: 7,260 sheets
- Auto duplex printing up to 176 gsm uncoated⁵ from all trays. Manual up to 300 gsm from bypass tray

Feeding and Finishing Options

A4 High Capacity Feeder (A4 HCF)

- A4, 2,000 sheets up to 220 gsm

A3 High Capacity Feeder (A3 HCF)/High Capacity Feeder C1-DS (HCF C1-DS)

- 64 – 300 gsm uncoated
- 106 – 300 gsm coated
- 182 x 250 mm – B5 to SRA3/ 330 x 488 mm
- Manual duplex up to 300 gsm
- One or two Tray Module: 2,000 sheets/4,000 sheets

Simple Catch Tray / Offset Catch Tray⁶

- 500 sheet stacking

Finisher C2

- 500 sheet top tray
- 3,000 sheet stacker tray
- Multi-position stapling, coated and uncoated paper, up to 50 sheets
- Hole punching

Finisher C2 with Booklet Maker

- 500 sheet top tray
- 1,500 sheet stacker tray
- Stapling, coated and uncoated, up to 50 sheets
- Hole punching
- Bi-fold, saddle stitch booklet maker up to 15 uncoated sheets
7 sheets at 106 – 176 gsm coated,
5 sheets at 177 – 220 gsm coated

Finisher D4

- 500 sheet top tray
- 3,000 sheet stacker tray
- Multi-position hole punching and stapling
- Stapling, coated and uncoated, up to 100 sheets

- 200 sheet interposer for pre-printed and full bleed sheets

Finisher D4 with Booklet Maker

- Coated/uncoated bi-fold or saddle-stitch booklet up to 25 uncoated⁷ or 10 coated sheets
- Optional Folding Module for tri-fold and Z-fold (A4/letter and A3/tabloid)

SquareFold® Trimmer Module

- Square fold up to 25 sheets
- Face trim between 2 – 20 mm in 0.1 mm increments

GBC® AdvancedPunch™

- Punch configurations available in A4
- Various interchangeable die sets available

Selected Color/Graphic Arts Credentials

- Fogra certification, PANTONE Matching System,
- PANTONE GOE, PANTONE Plus

Foreign Interface Device

- The Foreign Interface Kit enables the connection of external devices such as auditrans or coin-op devices. This will perform in copy and print modes

Choice of Print Servers

Integrated Fiery® Color Server

FreeFlow® Print Server

CX Print Server, Powered by Creo® Color Server Technology

EX Print Server, Powered by Fiery®

Electrical Requirements

- Printer 220 – 240 VAC/50/60 Hz
- Optional Feeding/Finishing:
 - Each module requires 100 - 240 VAC, 50/60 Hz power

Printer Dimensions

Height 1,391.5 mm, Width 1,574 mm, Depth 804 mm

¹ Depending on Print Server

² Duty Cycle - Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

³ Average Monthly Print Volume - Expected regular monthly throughput.

⁴ From Internal Trays, 177-220 gsm uncoated is not assured. Similarly, coated stock can be loaded in the internal trays though it is not recommended as internal trays do not adopt any mechanism to support coated stocks.

⁵ Auto duplex printing can be set up to 220 gsm coated and uncoated, however results and performance are subjected to media testing.

⁶ Catch Tray Fan Kit required.

⁷ Less than 80 gsm. Folding/stapling may not be as accurate as a booklet with 20 sheets.

For more information or detailed product specification, please call or visit us at

Fuji Xerox Asia Pacific Pte Ltd

80 Anson Road #37-00 Fuji Xerox Towers Singapore 079907

Tel. +65-6766-8888

<http://www.fxap.com.sg/>

