

MultiXpress C9252NA / C9352NA

A3 Colour Multi-Function Printer

For Every Business



SAMSUNG

True colour at great speed


In today's fast paced environment, you expect your MFP to achieve maximum uptime. The new Samsung MultiXpress C9252NA and C9352NA are designed to help provide high-output workgroups optimal speed for printing, copying, scanning and faxing without sacrificing quality. Samsung Rendering Engine for Clean Page (ReCP) technology is designed to help produce professional-grade printouts, and the polymerised toner provides a vivid and glossy finish with small and uniform particles.

A powerful performance

The MultiXpress C9252NA and C9352NA are designed to help optimise office productivity with fast printing and scanning capabilities, powered by a fully integrated Samsung 1 GHz dual-core processor. Large print and copy jobs are easy to manage, and scanning throughput is maximised.

Send scanned files quickly with high compression

The Samsung Mixed Raster Content (MRC) technology compresses scanned files with little reduction in quality. The compressed files save MFP storage space, helping users create and send scanned documents with ease and speed.



* MRC (Mixed Raster Content) : extracted text and image for PDF format scan.
* Evaluation from internal test lab.

Figure 2. Example of MRC compression

Enjoy quality printouts

Samsung's unique **ReCP (Rendering Engine for Clean Page)** technology and **up to 600 x 600 x 4 bit dpi** are designed to help maximise the overall quality and vibrancy of your colour printing. It automatically sharpens the focus of both graphics and text, while solid objects are overlapped to help eliminate white gaps.

Minimise document fading with polymerised toner

Samsung polymerised toner produces small and uniform particles designed to help ensure printouts have crisper lines and intense colours, and pages rarely curl. Additionally, the high wax content can help improve the image gloss and durability, which helps prevent the document from fading.

Companies expect value from every aspect of the business, including their A3 MFPs. Additional features include the All-in-One Board and high monthly duty cycles.

The combined boards and chips that make up the All-in-One Board help minimise the number of complex parts, designed to help minimise the failure rate.

Samsung Instant Fusing System (IFS) technology also helps maximise printing and copying speed. The combination of the All-In-One Board, IFS and polymerised toner is designed to help companies minimise printing-related expenditure.



Minimal downtime with high monthly duty cycles

The MultiXpress C9252NA and C9352NA have high monthly duty output cycles of 120,000 pages (C9252NA) and 150,000 pages (C9352NA). Its double-chassis structure that is designed for heavy-duty usage.

Minimal downtime for maintenance

Minimal maintenance and installation times help businesses meet deadlines within budget. Toner replacement for the MultiXpress C9252NA and C9352NA printers is designed for ease of use. In addition, users can correct paper jams without the need for a maintenance call. Few steps are required to replace high-frequency service items (HFSIs), such as fusers, rollers and image transfer units (ITUs). Fewer maintenance steps helps ensure the device is readily available when users need it.



Figure 6. Toner cartridges that slide into place

Easy operation of various functionality at your fingertips

The touch of a button

By pressing a button on the MFP, users can print more onto every page, with options for 2-up, 4-up and duplex printing.

Additionally, users can select the option to automatically skip blank pages, which helps save on toner.



MultiXpress C9252NA

The MultiXpress C9252NA and C9352NA are capable of providing users a preview of a document before printing, which helps minimise wasted printouts. While previewing the document, users can modify its format by removing text and images. The user can also adjust the layout (for example, from 1-up to 2-up printing) without changing the original document layout.



Figure 8. Preview and adjustments

Designed for ease of use and expandability

Convenient features, such as the large full-colour LCD touch panel, wide media acceptance, and fast UI response rate are designed to help work groups can save time and focus on their work instead of wasting hours on the equipment they use to produce it.

LCD control panel

The 8.9 inch colour LCD control panel on the MultiXpress C9252NA and C9352NA MFPs tilts for convenient viewing of the current job status, following prompts during an operation and setting up menus. Also, LED indicators, such as low paper alerts or a ready-for-use indicator, help users quickly determine the device status.



Mobile printing*

Mobile workers can print, scan and transfer files wirelessly from a compatible Samsung mobile device (sold separately). Workers can realise optimised productivity because they can print without having to install printer drivers to use robust print features.

*Note: Wireless Access Point (AP) is required.

* Samsung Mobile Print can be downloaded from Play Store or Samsung Apps. Internet connection required. Data and subscription charges may apply. Usage may be subject to third party service provider agreements.



Samsung Mobile Print solution earned the Summer 2012 "Pick" Awards as "Outstanding Mobile Print App." from Buyers Lab, Inc.



Samsung Eco-Driver earned the 2012 "Outstanding Achievement" Award from Buyers Lab, Inc.

Produce polished documents of various formats and media types

Configured to grow with a business

The MultiXpress C9252NA and C9352NA are designed to expand with a growing business. The MFPs can be configured based on the needs of the business with a wide range of functions, including:

- Working table
- 1,250-sheet Standard Finisher
- 3,250-sheet Booklet Finisher
- Stand
- Dual Cassette Feeder
- High Capacity Feeder

Extensive paper handling and finishing capabilities

Workgroup members can finish various types of documents with the optional 1,250 / 3,250 finisher (hole punch and booklet), stapling and folding features. Users can select from the optional dual-cassette feeder (DCF) and high-capacity feeder (HCF).

Wide media acceptance, including banners

The MultiXpress C9252NA and C9352NA MFPs can accept a wide array of media types. A multipurpose tray supports envelopes of various widths, heavy stock paper and other special media. Additionally, the MFPs can support banners up to 1,200 mm x 320 mm (47.2" x 12.6").

Configurations & Options



Figure 9. Fully customizable MultiXpress C9252NA and C9352NA

Optimise your office data security

Control the device through security and Smart Samsung solutions

Data security is a major concern of businesses today. The Samsung Security Framework is standard on the MultiXpress C9252NA and C9352NA. It is designed to help protect networks and helps prevent unauthorised access to confidential information.



Authenticated user	• Authentication • Authorization • Accounting
Protected network	• Secure Socket Layer (SSL)/ Transport layer Security (TLS) • Simple Network Management Protocol (SNMP) v3 • Internet Protocol Security IPSec (Internet Protocol [IP] v4, IPv6) • 802.1x (with Extensible Authentication Protocol [EAP]) • Protocol/port management • IP/Macintosh filtering
Secure document	• Secure print • Secure scan • Secure fax • Document tagging (watermark, stamps)
Secure data	• Encryption • Hard disk drive image overwrite
Secure management	• System logs • System back up • Email notification

XOA (Open Architecture Platform)



Connect the MultiXpress C9252NA and C9352NA MFP to a company's compatible applications through XOA. Based on open standards, XOA enables print solution vendors to create embedded applications that enhance the use of the device's capabilities to help improve business processes. XOA provides:

- Intelligent integration across a wide range of services
- Easy integration and minimal downtime during installation
- A flexible solution designed to help promote productivity
- Optimised extensibility and customisation

Smart Samsung solution support

Samsung offers various solutions designed to help promote business efficiency, such as device management, secure printing, document workflow, barcode document management and mobile printing. The Smart Samsung suite of solutions is designed to help meet modern office requirements.

SyncThru™ Device Management Solution



SyncThru™ Admin remotely discovers, manages, diagnoses, and reports on devices within the network.

SecuThru™ Secure Printing Solution



SecuThru™ Lite helps ensure document security and help minimise printed waste. The key features are card authentication, secure release printing and job accounting.

SmarThru™ Workflow Document Distribution Solution



SmarThru™ Workflow streamlines document workflows from capturing paper documents, as well as electronic documents, to distributing them to predefined destinations.

Barcode™ Document Management Solution



Barcode™ is used to manage assets and stock items, track items through distribution channels and helps improve the management of documents within the organisation.

Manage workflows with smart solutions

Use Samsung solutions with the MultiXpress C9252NA and C9352NA to create an MFP that helps manage business workflows.



Secure printing

SecuThru™ Lite manages all printing jobs from compatible PCs and mobile devices. Documents are not released without user authentication.



* Samsung Smartphone sold separately

Figure 12. User authentication window on MFP

Secure document workflow

Only authenticated users can access the pre-defined scan workflow by SmarThru™ Workflow with icon based intuitive user interface.




Figure 13. SmarThru™ Workflow display

Single Sign On (SSO)

A user logs in once and gains access to Samsung solutions.

Usage monitoring by user and by device

Information Technology (IT) administrators can manage and monitor users' print, copy and scan jobs with the SyncThru™ Admin interface.



Customisable for your business

The Samsung MultiXpress C9252NA and C9352NA multifunction printers are more than a device; they are part of the team.

Set up the MultiXpress C9252NA and C9352NA to expand with changing needs

The Samsung MultiXpress C9252NA and C9352NA MFPs can be configured to grow with a business. Organisations can begin with the basic configuration, and then add options to increase the design, productivity and integration of the device as needed (additional options sold separately). A wide range of supplies are also available (sold separately). The following table shows the available configuration options for the MultiXpress C9252NA and C9352NA MFPs.

Highlights

- A 1 GHz dual core processor to help performance speed
- ReCP technology that aids in ensuring the print, copy and scan-quality
- An 8.9 in. colour touch LCD control panel that offers flexibility
- Design to help promote office efficiency
- High monthly duty print cycles
- The Samsung eXtensible Open Architecture (XOA) provides functional expansion options
- Standard security features that help keep data safe
- Smart Samsung solutions, which help integrate workflows



	Basic Configuration	Advanced Configuration	Full-Featured Configuration
System Features	Main Unit + Stand	Main Unit + 1,250 Standard Finisher + Dual Cassette Feeder	Main Unit + 3,250 Booklet Finisher + High Capacity Feeder
Max Input Paper Capacity	520 (Cassette) x 2 +100 (Multi-purpose Tray) = 1,140 sheets	520 (Cassette) x 4 +100 (Multi-purpose Tray) = 2,180 sheets	520 (Cassette) x 2 + 2,000 (HCF) + 100 (Multi-purpose Tray) = 3,140 sheets
Max Output Paper Capacity	500 (Center Tray) + 150 (Right Tray) = 650	1,250 sheets + 150 (Right Tray) = 1,400	3,250 sheets + 150 (Right Tray) = 3,400
Ideal for	Mid-Small Work Group (3-10 persons)	Department Mid-Small Work Group (6-15 persons)	Copy/Print Center Department Mid-Small Work Group (Over 20 persons)

Options

					
Stand CLX-DSK10T	Dual Cassette Feeder CLX-PFP000	High Capacity Feeder CLX-HCF102	Bridge Kit CLX-BRG200	1,250-Sheet Standard Finisher CLX-FIN40S	3,250-Sheet Booklet Finisher CLX-FIN40L
					
Working Table CLX-WKT000	Fax Kit CLX-FAX160	Fax Multiline Kit CLX-FAX260	2/3 Hole Punch Kit 2/4 Hole Punch Kit CLX-HPU000 / CLX-HPU001	FDI Kit CLX-KIT10F	Colour PM Kit - Cleaning & Transfer Set CLX-PMK10C
					
Colour PM Kit - Tray Roller / DADF Roller / MP Roller Set CLX-PMK11C CLX-PMK15C CLX-PMK13C	Cassette Dehumidifying Heater Kit CLX-DHK11C CLX-DHK12C	Staples 5,000 x 3 SCX-STP000			

Supplies

				
Black Toner (Colour) CLT-K606S	Cyan Toner (Colour) CLT-C607S CLT-C606S *MultiXpress C9250ND supports only CLT-C607S/CLT-C6072S(Europe Only)*	Magenta Toner (Colour) CLT-M607S CLT-M606S *MultiXpress C9250ND supports only CLT-M607S/CLT-M6072S(Europe Only)*	Yellow Toner (Colour) 15K CLT-Y607S CLT-Y606S *MultiXpress C9250ND supports only CLT-Y607S/CLT-Y6072S(Europe Only)*	
				
Black Imaging Unit CLT-R607K	Cyan Imaging Unit CLT-R607C	Magenta Imaging Unit CLT-R607M	Yellow Imaging Unit CLT-R607Y	Waste Toner Container CLT-W606

Samsung MultiXpress C9252NA and C9352NA multifunction printers

General Specifications

Speed (Copy/Print)	CLX-9252NA: 25 ppm CLX-9352NA: 35 ppm
Functions	Standard: Print, Copy, Scan, Network, Duplex Optional: Fax
Processor	1GHz (Dual Core)
Memory	1.5GB
Display	8.9" Colour Touch-Panel LCD, 1024 x 600 (WSVGA)
Interface	High-Speed USB 2.0 Host (3-port), Hi-Speed USB 2.0 Ethernet 10/100/1000 Base TX
Warm-up Time	From Power On: Less Than 39sec From Sleep: Less Than 28sec
Noise Level (Simplex/Duplex)	Copying: 54dBA/56dBA Printing: 51dBA/53dBA Ready: 37dBA Sleep: 27dBA
Storage	320GB (Document Box Space: 154GB)
Max. Monthly Duty Cycle	CLX-9252NA: 120,000 pages CLX-9352NA: 150,000 pages
Dimension (W x D x H)	677.5 x 763 x 853.6 mm 26.7" x 30.0" x 33.6" (including DADF)
Weight	109.5 Kg / 241 lbs (including DADF, Waste Toner Box)
Network Protocols	IP Management(DHCP, DHCPv6, BOOTP, AutoIP, SetIP, Static) Discovery Protocol (SLP, UPnP, Bonjour, DNS, WINS) Printing Protocol(TCP/IP(9100), TCP/IP(9100)v6, LPR, LPR6, IPP, WSD) Management Protocol(SNMPv1.2, SNMPv1.2(IPv6), SNMP3, SNMPv3(IPv6), HTTP, HTTPS, LDAP, LDAPS, SMTP) Scan Protocol(SMTP, SMTPs, FTP, SMB, Twain for Network, WebDav) Security Protocol(SMB, Kerberos, LDAP, IPsec)
Network Security	SSL/TLS, IP sec, SNMPv3, IPv6, Protocol & Port Management, IP/MAC filtering
OS Compatibility	[Windows] - Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003 [Mac] - Mac OS 10.5 ~ 10.6 [Linux] - RedHat Enterprise Linux WS 4, 5 (32/64bit) - Fedora Core 2~10 (32/64bit) - SuSE Linux 9.1 (32bit) - OpenSUSE 9.2, 9.3, 10.0, 10.1, 10.2 10.3, 11.0 11.1 (32/64bit) - Mandrake 10.0, 10.1 (32/64bit) - Mandriva 2005, 2006, 2007, 2008, 2009 (32/64bit) - Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04 8.10 (32/64bit) - SuSE Linux Enterprise Desktop 9, 10 (32/64bit) - Debian 3.1, 4.0, 5.0 (32/64bit)
Power Consumption	Max 1.1kW (Ready: <100W, Low power: <20W, Sleep: <1.5W)
Tec	CLX-9252NA: 2.790kwh CLX-9352NA: 3.684kwh
* Typical Electricity Consumption (Energy Star Test Method)	
Certification	CCC(ISO15408), IEEE P2600-2008, WHQL Compliance

Paper Handling

Input Capacity & Types	Standard Cassette: 520 sheets (Cassette) x 2 Multipurpose tray: 100 sheets
Media Types	Cassette: Plain / Thin / Bond / Punched / Pre-Printed / Recycled / Label / CardStock / Letterhead / Thick / Cotton / Colored / Archive / Glossy Multipurpose tray: Plain / Thick / Heavy Weight / Extra Heavy Weight 1 / Extra Heavy Weight 2 / Thin / Cotton / Colour / Preprinted / Recycled / Bond / Archive / Letterhead / Punched / CardStock / Labels / Envelope / Glossy
Media Size	Cassette: Letter / Legal / Oficio / Folio / A3 / A4 / JIS B5 / ISO B5 / Executive / A5 / Statement / Custom Multipurpose tray: 98 x 148mm - 320 x 457 mm (3.87 x 5.8" - 12.6 x 18") banner 320 x 1200 mm
Media Weights	Cassette: 60-216 g/m ² Multipurpose tray: (Simplex) 60-253 g/m ² (Duplex) 60-175 g/m ²
Output Capacity Types	Standard: 500 (Center Output Tray) Max: 3,250 (Booklet Finisher, option)
ADF Type	DADF
ADF Capacity	100 Sheets
ADF Document Size	A3, A4, A4 SEF, A5, A5 SEF, B4, B5, B5 SEF
ADF Document Weight	Simplex: 42-128 gsm / Duplex: 50-128 gsm

Copy Specifications

Speed (Mono/Colour)	CLX-9252NA: 25 cpm in A4/Letter CLX-9352NA: 35 cpm in A4/Letter
First Copy Out Time	CLX-9252NA: 9.5 seconds (Mono) / 10.5 seconds (Colour) CLX-9352NA: 7.5 seconds (Mono) / 8.5 seconds (Colour)
Resolution	600 x 600 dpi
Zoom Rate	25% - 400%
Multi Copy	9,999 Pages
Duplex Cop	Built-in
Copy Features	ID Copy, Clone Copy, N-UP Copy, Poster Copy
Other Copier Features	Original Type : Text, Text/Photo, Magazine, Photo, Copied Original, Map, Light Original Colour Setting : Auto Colour, Full Colour, B&W Image Modify : Book Centre Erase, Watermark Copy, Automatic Background Suppression, Time & Date Stamp, ID Stamp

Print Specifications

First Print Out Time	CLX-9252NA: Less than 12.5 sec (Mono) / Less than 13.5 sec (Colour) CLX-9352NA: Less than 9.5 sec (Mono) / Less than 10.5 sec (Colour)
----------------------	---

Resolution	Default 600 x 600 x 2 bit Up to 600 x 600 x 4 bit
Emulation	PCL5Ce, PCL6C, PostScript Level3, PDF 1.7
Fonts	PCL: Scalable93, OCR-A, OCR-B Postscript: Scalable136 CLX-9252NA: Up to 24.4 ppm in A4 / Letter Up to 12 ppm in A3 / 11X17 CLX-9352NA: Up to 34.2 ppm in A4 / Letter Up to 17 ppm in A3 / 11X17
Network Operating System	[Windows] - Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003 [Mac] - Mac OS 10.5 ~ 10.7 [Linux] - RedHat Enterprise Linux WS 4, 5, 6 (32/64 bit), - Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 (32/64 bit) - OpenSUSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 (32/64 bit), - Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64 bit) - Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 10.10, 11.04 (32/64 bit), - SuSE Linux Enterprise Desktop 10, 11 (32/64 bit) - Debian 4.0, 5.0, 6.0 (32/64 bit)
Utilities	SyncThru Web Service, Anyweb Print, Easy Printer Manager, Easy Document Creator, Easy Deployment Manager, Mobile Print (Android, iOS, Win Mobile) SyncThru Admin 6, CountThru 2.5, SmarThru Workflow 3, SmarThru Workflow 2, SecuThru Lite 1
Solutions	
Open Platform	eXtended Open Architecture (XOA)

Scanner Specifications

Speed (Mono/Colour)	45 ipm (300 dpi / A4/Letter)
Colour Mode	Mono / Gray / Colour
Compatibility	Network TWAIN
Method	Colour CCDM-MMT
Scan Document Size	Max.297mm x 432mm (Max. 11.7"x17.0")
Resolution (Optical/Enhanced)	Up to 600 x 600 dpi (Optical) / Up to 4,800 x 4,800 dpi (Enhanced)
Scan to Modes	E-mail, USB, FTP, SMB, HDD, PC
Scan File Formats	Email : TIFF, JPEG, PDF, XPS / PC: TIFF, JPEG, PDF, Compact PDF FTP/SMB : TIFF, JPEG, PDF, Compact PDF, XPS / HDD (Option): TIFF, JPEG, PDF, Compact PDF, XPS USB: TIFF, JPEG, PDF, Compact PDF, XPS

Security Specifications

* Secure Data Standard Data Overwrite Security Method

DoD 5220.28M	Select to overwrite the memory 3 times. When overwriting three times, patterns 0x35, 0xCA, 0x97 are used to overwrite the disk's content. This method of overwriting the disk is specified by US DoD.
--------------	---

Samsung MultiXpress C9252NA and C9352NA multifunction printers

Australian ACSI 33	Select to overwrite the memory 5 times. When overwriting 5 times, character "C" and its complement alternatively are used to overwrite the disk. After the 2nd time, there is a mandatory validation. For the 5th time, random data is used.
German VSITR	Select to overwrite the memory 7 times. When overwriting for the 6 times, alternate 0x00 and 0xff are used to overwrite the disk and in the 7th time, the disk is written with 0xAA.
Custom	Select to determine the number of times the memory will be overwritten. The hard disk will be overwritten as many times as the number you select.
HDD Encryption Method	This function encrypts the system's hard drive using 256 bits (AES) to protect against data theft.
Secure User	Authentication (Basic, Device, Application), / Authorization, Group / Role based Authorization
Secure Document	Secure Print, Secure Fax, Document Tagging (Watermark, Stamp) Secure PDF - PDF Encryption Document Tagging of Secure PDF, Digital Signature in PDF, Code Signing, Print Job Encryption
Secure Management	Job Auditing, Job Operation, Security Event Logging, System Log Back Up, Email Notification

Fax Specifications (Optional)

Modem Speed	33.6 Kbps
Compatibility	ITU-T G3, Super G3
Resolution	Up to 600 x 600 dpi (Mono)
Speed	1.5sec/(A4, LTR) (Std), 4sec/(A4, LTR) (Fine)
Compression Method	MH/ MR/ MMR/ JBIG/ JPEG (Tx only)
Memory	HDD Back-up
Auto Dialing	500 Locations Speed Dial, 500 Group Dial
Fax Functions	Secure Rx, Time Secured Fax, Delay Send, etc
Fax to Modes	Fax to SMB, Fax to Email, Fax to FTP, Fax to Fax, Fax to WebDAV, Fax to Box
Fax Features	Speed Dial, Group, Dial, On-hook Dial, Auto Redial, Caller ID, Secure Reception, Fax forwarding, etc.

Consumables

Black Toner Cartridge	25,000 pages (5% Coverage)
Colour (Y/M/C) Toner Cartridge	15,000 pages (5% Coverage)
Imaging Unit/Drum (Mono/Colour)	75,000 pages (5% Coverage) (Mono/Colour)
Waste Toner Container	75,000 pages (5% Coverage)

Options

Dual Cassette Feeder

Capacity	520 sheets x 2tray @ 20lb (80g/m ²) (Mono / Colour)
Media Size	Letter, Legal, Oficio, Folio, Statement, Ledger, A3, A4, JIS B5, ISO B5, Executive, A5, Custom

Media Type	Plain, Thick, heavy weight, Extra heavy weight 1, Thin, Cotton, Colour, Pre-printed, Recycled, Bond, Archive, Letterhead, CardStock, Label
Media Weights	60-216 g/m ²
Dimension	260 x 628.5 x 670.7mm
Weight	33.3 Kg

High-Capacity Feeder

Capacity	2000 sheets @ 20lb (80g/m ²)
Media Size	A4, Letter
Media Type	Plain, Thick, heavy weight, Thin, Cotton, Colour, Pre-printed, Recycled, Bond, CardStock
Media Weights	60-216 g/m ²
Dimension	260 x 628.5 x 670.7mm
Weight	26.8 Kg

1250-sheet Standard Finisher

Output Capacity	Tray 1,250 sheet
Media Size	Main: 140 x 216mm - 304.8 x 457mm (5.5 x 8.5" - 12 x 18") Top : 98 x 148 mm - 320 x 457mm (3.87 x 5.8" - 12.6 x 18") banner 320 x 1200 mm
Media Type	Main, Top : Plain, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2 (Top only), Thin, Cotton, Colour, Preprinted, Recycled, Bond, Archive, Letterhead, Punched, CardStock, Labels, Envelope (Top only), Glossy
Media Weights	Main : 60~216 g/m ² Top : 56 ~ 253 g/m ²
Staple Capacity	50 sheets stapling with 90g/m ² sheet
Staple Positions	Front/Rear Corner staple, Dual staple
Staple Paper Weight	60 ~ 216 g/m ²
Hole punch	Optional: 2/3 Hole or 2/4 Hole
Dimension	589 x 684 x 610 mm
Weight	30.1 Kg

3250-sheet Booklet Finisher

Output Capacity	Tray 3,250 sheet (Main tray : 3,000 sheet, Top tray : 250 sheet, Booklet tray : 20 set (80g/m ² 15 sheet /set)
Media Size	Main: 140 x 216mm - 304.8 x 457 mm (5.5 x 8.5" - 12 x 18") Top: 98 x 148 mm - 320 x 457 mm (3.87 x 5.8" - 12.6 x 18") banner 320 x 1200 mm Booklet: 176 x 250 mm - 304.8 x 457 mm (6.9 x 9.8" - 12 x 18")
Media Type	Main, Top : Plain, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2 (Top only), Thin, Cotton, Colour, Preprinted, Recycled, Bond, Archive, Letterhead, Punched, CardStock, Labels, Envelope (Top only), Glossy Booklet : Plain / Thick / Heavy Weight / Thin / Cotton / Colour / Preprinted / Recycled / Bond / Archive / Letterhead

Media Weights	Main: 60~216g/m ² Top: 56~253g/m ² Booklet: 60~120g/m ²
Staple Capacity	Normal: 50 sheets stapling with 80g/m ² sheet, Booklet: 15 sheets stapling (216g/m ² , 1sheet and 80g/m ² 14 sheet)
Staple Positions	Front/Rear Corner staple, Dual staple
Staple Paper Weight	Normal: 60~216g/m ² , Booklet: 60~120g/m ²
Dimension	1132 x 822 x 610mm
Weight	99 Kg

Optional Punch Kit

Available Unit	Auto change 2/3 hole or auto change 2/4 hole
Paper weight	60~216g/m ²

Others

Cabinet Stand, Bridge Unit, Working Table, FDI Kit, Fax Kit, Fax Multiline Kit, Cassette Dehumidifying Kit, Staples 5,000 x 3, Colour PM Kit - Cleaning & Transfer Set, Tray Roller Set, DADF Roller Set, MP Tray Roller Set, SmarThru, Workflow, CounThru, Advanced Scan Kit

* Specifications above are subject to change without prior notice.

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. is a global leader in semiconductor, telecommunication, digital media and digital convergence technologies with 2011 consolidated sales of US\$143.1 billion. Employing approximately 222,000 people in 205 offices across 71 countries, the company operates two separate organizations to coordinate its nine independent business units: Digital Media & Communications, comprising Visual Display, Mobile Communications, Telecommunication Systems, Digital Appliances, IT Solutions, and Digital Imaging; and Device Solutions, consisting of Memory, System LSI and LCD. Recognized for its industry-leading performance across a range of economic, environmental and social criteria, Samsung Electronics was named the world's most sustainable technology company in the 2011 Dow Jones Sustainability Index. For more information, please visit www.samsung.com.

For more information

For more information about the Samsung MultiXpress C9252NA and C9352NA multifunction printers, visit www.samsung.com/ printers, or visit your locally authorised Samsung dealer.



Copyright © 2012 Samsung Electronics Co. Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co. Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.



Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Mac OS is a registered trademark of Apple Inc.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

openSUSE is a trademark of Novell, Inc.

Red Hat is a registered trademark of Red Hat, Inc.

Ubuntu is a registered trademark of Canonical Ltd.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Samsung Electronics Australia Pty Ltd
ABN 63 002 915 648
Quad Samsung, 8 Parkview Drive,
Homebush Bay, NSW 2127

www.samsung.com

2012-08