

SAMSUNG

It might be the most versatile
worker in your office.



SCX-8030ND/SCX-8040ND
MultiXpress Mono Laser MFPs



SCX-8030ND/SCX-8040ND

Productivity meets flexibility. The Samsung MultiXpress SCX-8030ND/SCX-8040ND multifunction printers offer more ways to get the job done. They'll deliver sharp images at sizes up to 12" x 18", with finishing options that include booklet-making. Your presentations will be professional and impactful. And with speeds up to 40 ppm, high-capacity paper handling and multiple productivity-enhancing features, they'll become the workgroup MFPs you count on when it's time to get down to work.



Recommended by BLI The Samsung SCX-8030ND and SCX-8040ND MFPs have each been awarded the BLI 2010 Pick, as well as Highly Recommended awards for outstanding design quality and performance. BLI (Buyer's Laboratory, Inc.) has been the leading source of unbiased intelligence for more than 45 years. They are the leading authority on and provider of critical intelligence to the imaging industry, and are committed to providing the highest quality services to original equipment manufacturers, dealers and business consumers.

TABLE OF RESULTS

Reliability	Excellent
Multitasking	Excellent
Administrative Utilities	Excellent
Feedback to Workstations	Excellent
Ease of Network Setup	Excellent
Print Drivers	Excellent
Applications Compatibility	Excellent
Scan Functions	Excellent
Ease of Use	Excellent
Security Features	Excellent

Source: Samsung MultiXpress SCX-8340ND BLI Lab Test Report (March 2010)

Keep Your Business Secure

Data security is as important to us as it is to you. It's why we build security technologies as standard features into our SCX-8030ND and SCX-8040ND MFPs, including a Trusted Platform Module (TPM). This security chip prevents unauthorized access to data on MFPs and across the network. And it's all certified to Common Criteria (CC) standards.

Secure User Access

Samsung's Secure User Access protects your data by preventing unauthorized users from accessing data through PIN and password authentication. It can also be used to approve authorization and provide job accounting, meaning you can manage and restrict access to secure documents and files that are sent to your Samsung MFP.

Secure Data Functionality

Security features from encryption to HDD Image Overwrite mean users can securely store information on the MFP's hard disk drive, and by implementing an image overwrite function, can erase image data previously created during the printing, copying or scanning processes.

Secure Management

The Secure Management system provides logs, backup and email notification, to give users an overall view of their secure documents even after they've been printed and stored.

Secure Network Functionality

With the Secure Networking Functionality from SSL/TLS, SNMPv3, IPSec (IPv4, IPv6), and 802.1x (with EAP), users can access MFP features quickly, securely and without worry.


Secure Document Functionality

Along with data and network security, Samsung offers Secure Document Functionality. It makes document-tagging (ie. watermarks and stamps) simple and easy. Additional security can also be added to supplement the SCX-8030ND and SCX-8040ND's built-in security features.



MFPs that Consider the Environment

Samsung is the fastest-growing printer manufacturer, and number two printer company worldwide. Our innovations and designs have been recognized with more than 100 awards for performance, reliability and eco-friendliness. Like all Samsung products, the Samsung SCX-8030ND/SCX-8040ND MFPs are engineered with minimal impact on our planet in mind.



Power Save Button

When you're finished using the SCX-8030ND and SCX-8040ND, simply press the Power Save button for one second, and the MFP goes into an energy-saving state.

Toner Recycling

Our Samsung-sponsored toner recycling program (S.T.A.R. Samsung Takeback and Recycling) is an easy way to encourage recycling, and keep toner cartridges out of landfills.

Eco-Friendly Initiatives

Every Samsung printer and MFP is Energy Star compliant. There's 17% post-consumer waste in every Samsung printer. And 55% of each Samsung printer is recyclable.

Eco Button

The Eco button is located prominently, to encourage use. You can set the button to provide options such as 2-up and 4-up printing, saving toner, paper and money.

Samsung Solutions for Security and Productivity

In addition to Samsung's own customizable solutions, Samsung has formed partnerships with a select group of experienced and proven solutions providers to develop customizable document solutions for every type of business, including highly sensitive industries, such as education, government, financial, healthcare, public relations and legal.



Document Management

- SmarThru (Workflow)
- DPD - GoldFax
- Drive
- Prism
- Intellinetics



Forms

- Objectif Lune
- Gravic
- Prism
- Ubiquitech



Job Accounting

- Genius Bytes
- BITS
- Pharos
- Vendapin



MPS

- CounThru
- MWAi
- Print Audit
- Print Fleet
- FM Audit



Premium Security

- CAC
- SecurThru
- Common Criteria
- RF-Ideas
- Relyco



Device Management

- SyncThru 5 (Web Services)
- SyncThru (Web Admin)



Customizable Operation

The programmable touch panel makes common tasks even simpler. You can also use Samsung's XOA embedded platform to customize the screen with your own functions, applications and workflows.

Flexible Configuration, Genuine Samsung Consumables

Samsung SCX-8030ND/SCX-8040ND MFPs give you the options you need for maximum productivity.



Product Configuration

Basic Configuration

Main Unit + Stand

Input Capacity: 1,140 Sheets
Output Capacity: 650 Sheets



Advanced Configuration

Main Unit + 1,250 Standard Finisher
+ Dual Cassette Feeder

Input Capacity: 2,180 Sheets
Output Capacity: 1,400 Sheets



Full-Featured Configuration


Main Unit + 3,250 Booklet Finisher + High Capacity Feeder

Input Capacity: 3,140 Sheets
Output Capacity: 3,375 Sheets



Flexible Paper Handling

Print any size from envelopes up to 12" x 18" sheets. Standard input capacity is 1,040 sheets, with options to increase capacity to 3,375 sheets. Professional finishing options include hole punching, stapling and even booklet-making.



Adjustable, Color Touch-Control Panel

The bright, 8.9" color control panel tilts 20° and moves from side to side, to make things easy. Its intuitive touch screen menus are designed to guide users quickly and simply through functions. And Eco and Power Save mode buttons are conveniently located, to let users more easily save time and money.



Consumables

Get the most out of your Samsung MFP by using genuine Samsung consumables. They're engineered to work precisely and efficiently with each other, to help you always look your best.

Toner and Consumables

Part Number	Description
MLT-K606	High-Yield Toner 35K Yield
MLT-K607	Standard Toner 20K Yield
MLT-R607K	Imaging Unit 100K Yield
MLT-W606	Waste Container 300K Yield
SCX-STP000	Finishing Staples Cartridge 15K Yield
SCX-PMK10K	Product Maintenance Kit-Cleaning & Transfer Set



Specifications	SCX-8030ND	SCX-8040ND
General		
Function	Print, Copy, Scan, Fax (Option), Network, Duplex	Print, Copy, Scan, Fax (Option), Network, Duplex
LCD	8.9" Color Touch-Panel LCD, 1024 x 600 (WSVGA)	8.9" Color Touch-Panel LCD, 1024 x 600 (WSVGA)
Processor	800MHz	800MHz
Memory, Storage	1GB (Max 2GB), 160GB HDD	512MB (Max 1GB), 250GB HDD
OS Compatibility	Windows: Windows 2000/XP (32/64 bit), 2003 (32/64 bit), Windows 7 (32/64 bit), Windows Terminal Services Linux: Redhat 8.0-9.0, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2 Mac: OS X 10.5-10.6 Other: Citrix Presentation Server	Windows: Windows 2000/XP (32/64 bit), 2003 (32/64 bit), Windows 7 (32/64 bit), Windows Terminal Services Linux: Redhat 8.0-9.0, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2 Mac: OS X 10.5-10.6 Other: Citrix Presentation Server
Interface	High Speed USB 2.0, Ethernet 10/100/1000 base TX	High Speed USB 2.0 host (3 port)
Noise Level	Printing: 54dB, Copying: 57dB, Standby: 37dB	Printing: 54dB, Copying: 57dB, Standby: 37dB
Duty Cycle, Monthly	100,000 sheets per month	150,000 sheets per month
Dimensions (H x W x D)	32.1" x 23.9" x 22.6"	36.4" x 22.7" x 29.2"
Weight	249.12 lbs.	249.12 lbs.
Print		
Speed Mono	Up to 30 ppm in letter	Up to 40 ppm in letter
Resolution (Default/Max)	Up to 600 x 600 dpi effective output/Up to 9,600 x 600 dpi effective output	Up to 600 x 600 dpi effective output/Up to 9,600 x 600 dpi effective output
First Print Out Time	Less than 9 sec. (from ready)	Less than 8 sec. (from ready)
Emulation	PCL5e, PCL6, Postscript3, PDF 1.7+, XPS	PCL5e, PCL6, Postscript3, PDF 1.7+, XPS
Duplex Print	Default	Default
Copy		
Speed Mono	Up to 30 cpm in letter	Up to 40 cpm in letter
Resolution	Scan: 600 x 600dpi, Document feeder: up to 600 x 600 dpi	Scan: 600 x 600dpi, Document feeder: up to 600 x 600 dpi
First Copy Out Time	Less than 7 sec. (from ready)	Less than 5.5 sec. (from ready)
Zoom Rate	25% – 400%	25% – 400%
Multiple Copy	1-9999	1-9999
Duplex Copy	Default	Default
Copy Features	Quick Copy, Proof Copy, ID Card Copy, Poster Copy, N-up Copy, Booklet Copy, Book Copy, Copy Job Build, Covers, Edge Erase, Margin Shift, Transparency (OHP) Interleaving, Job Interrupt	Quick Copy, Proof Copy, ID Card Copy, Poster Copy, N-up Copy, Booklet Copy, Book Copy, Copy Job Build, Covers, Edge Erase, Margin Shift, Transparency (OHP) Interleaving, Job Interrupt
Fax (Optional)		
Compatability	Super G3	Super G3
Modem Speed	33.6 Kbps	33.6 Kbps
Resolution	Standard : 203 x 98 dpi, Fine : 203 x 196 dpi, Super Fine : 300 x 300 dpi	Standard : 203 x 98 dpi, Fine : 203 x 196 dpi, Super Fine : 300 x 300 dpi
Memory	HDD Back-up	HDD Back-up
Auto Dial	Up to 500 numbers	Up to 500 numbers
Fax Feature	Speed Dial, Group, Dial, Color Fax (Send only), On-hook Dial, Auto Redial, Caller ID, Secure Reception, Polling, MailBox, Fax Forwarding, Junk Fax Block List	Speed Dial, Group, Dial, Color Fax (Send only), On-hook Dial, Auto Redial, Caller ID, Secure Reception, Polling, MailBox, Fax Forwarding, Junk Fax Block List
Scan		
Scan Speed (Mono)	60 ipm, 300 dpi, A4/Letter LEF	60 ipm, 300 dpi, A4/Letter LEF
Scan Speed (Color)	60 ipm, 300 dpi, A4/Letter LEF	60 ipm, 300 dpi, A4/Letter LEF
Scan Size Document	Max A3 or Ledger	Max A3 or Ledger
Compatability	Network TWAIN	Network TWAIN
Method	Flatbed/DADF	Flatbed/DADF
Resolution	600 x 600 dpi (Optical), 4,800 x 4,800 dpi (Enhanced, Twain driver only)	600 x 600 dpi (Optical), 4,800 x 4,800 dpi (Enhanced, Twain driver only)
Scan To	E-mail, USB, FTP, SMB, HDD, WebDAV, PC	E-mail, USB, FTP, SMB, HDD, WebDAV, PC
Paper Handling		
Input Capacity	Standard: 520 (Cassette) x 2 + 100 (MP Tray), Max: 1,140 (Standard) + 2,000 (High Capacity Feeder, option)	Standard: 520 (Cassette) x 2 + 100 (MP Tray), Max: 1,140 (Standard) + 2,000 (High Capacity Feeder, option)
Output Capacity and Type	Standard: 500 (Center Output Tray), Max: 3,250 (Booklet Finisher, option) +125 (Job Separator) = 3375 sheets	Standard: 500 (Center Output Tray), Max: 3,250 (Booklet Finisher, option) +125 (Job Separator) = 3375 sheets
Media Sizes	Cassette: 5.8" x 8.3"-12" x 18", MP Tray: 3.5" x 5.8"-12" x 18"	Cassette: 5.8" x 8.3"-12" x 18", MP Tray: 3.5" x 5.8"-12" x 18"
Media Type	Bond, Index, Cover, Color, Recycled, Pre-printed, Punched, Cotton, Letterhead, Transparency, Envelope, Label	Bond, Index, Cover, Color, Recycled, Pre-printed, Punched, Cotton, Letterhead, Transparency, Envelope, Label
ADF Capacity	100-sheet	100-sheet
ADF Document Size	A3, A4 LEF, A4 SEF, A5 LEF, A5 SEF, B4, B5 LEF, B5 SEF	A3, A4 LEF, A4 SEF, A5 LEF, A5 SEF, B4, B5 LEF, B5 SEF
Envelope Capacity	10 Sheets (MP Tray)	10 Sheets (MP Tray)
Green Management		
Green Management	Energy Star Compliant, S.T.A.R. Program (Samsung Toner Recycle Program)	Energy Star Compliant, S.T.A.R. Program (Samsung Toner Recycle Program)

Options	
Part Number	Part Description
CLX-DSK10T	Stand
CLX-PFP000	Dual Cassette Feeder
CLX-HCF102	High Capacity Feeder
CLX-BRG200	Bridge Unit for Finisher
CLX-FIN40S	1,250-Sheet Standard Finisher
CLX-FIN40L	3,250-Sheet Booklet Finisher
CLX-WKT000	Working Table
CLX-FAX150	Fax Kit
CLX-FAX250	Multi-line Fax Kit
CLX-HPU000	2/3 Hole Punch Kit
CLX-KIT10F	Foreign Device Interface Kit
CLX-DHK12S	Scanner Dehumidifying Heater
CLX-DHK12C	Cassette Dehumidifying Heater
SCX-JST0000	Job Separator
SCX-MEM300	512MB Expansion Memory Module
SCX-PMK10	Product Maintenance Kit-Cleaning & Transfer Set

Toner and Consumables	
Part Number	Part Description
MLT-K606	High-Yield Toner 35K Yield
MLT-K607	Standard Toner 20K Yield
MLT-R607K	Imaging Unit 100K Yield
MLT-W606	Waste Container 300K Yield
SCX-STP000	Finishing Staples Cartridge 15K Yield
SCX-PMK10K	Product Maintenance Kit-Cleaning & Transfer Set

Product Support: 1-866-SAM-4BIZ • 1-800-SAMSUNG



©2011 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA on 50% recycled (30 % post-consumer waste) paper using soy inks. PNT-SCX8030NDSCX8040ND-MAY11T

